

September 17, 2002 / Number 36

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

Surveillance System in Tokyo, Japan

The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers (There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Research Laboratory of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:ids@tokyo-eiken.go.jp

URL:www.tokyo-eiken.go.jp

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				Japan		
		33rd	34th	35th	36th	Total	36th	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Cholera	1	1			14	4	43
	Shigellosis	4		4	4	66	11	504
	Typhoid fever		1		1	20	1	48
	Paratyphoid fever	1				10		24
	Acute poliomyelitis							
	Diphtheria							
III	Enterohemorrhagic <i>Escherichia coli</i> infection	9	13	5	4	137	79	2492
IV	Amebiasis	4	6	4	5	86	9	319
	Echinococcosis							6
	Yellow fever							
	Psittacosis		1			3		48
	Relapsing fever							
	Acute viral hepatitis	3		2		137	4	725
	Q fever					28		34
	Rabies							
	Cryptosporidiosis				1	4	1	106
	Creutzfeldt-Jakob Disease					6		88
	Sever invasive streptococcal infections		1			9		67
	Acquired immunodeficiency syndrome	6	9	14	7	256	7	619
	Coccidioidomycosis							3
	Giardiasis	1		2		40	1	82
	Hemorrhagic fever with renal syndrome							
	Meningococcal meningitis					1		5
	Congenital rubella syndrome							
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)					6		117
	Dengue fever	1		2		13		41
	Japanese spotted fever							13
	Japanese encephalitis							
	Infant botulism							
	Syphilis	1		4	2	42	5	379
	Tetanus					4	2	68
	Vancomycin-resistant <i>enterococcus</i> infection					6	2	29
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Brucellosis					1		1
	Epidemic typhus							
Malaria	1	2		1	20	1	58	
Lyme disease					2	1	12	
Legionellosis	1				12	5	119	

(Blank means 0.)

Number of patients with the diseases to be reported
by the designated clinics and hospitals

Diseases	Sex	Week(2002)				Total
		33rd	34th	35th	36th	
Influenza	M					
	F					
Pharygoconjunctival fever	M	11	17	13	10	51
	F	7	9	13	5	34
Group A streptococcal pharyngitis	M	4	8	16	11	39
	F	5	11	12	21	49
Infectious gastroenteritis	M	68	116	150	157	491
	F	51	87	121	96	355
Chickenpox	M	14	32	21	29	96
	F	17	26	23	24	90
Hand, foot, and mouth disease	M	29	37	36	30	132
	F	36	21	25	20	102
Erythema infectiosum	M	1	2	7	9	19
	F	2	8	11	10	31
Exanthem subitum	M	20	40	52	41	153
	F	14	25	40	40	119
Pertussis	M		1	3	1	5
	F					
Rubella	M				1	1
	F		2		2	4
Herpangina	M	40	44	40	32	156
	F	32	30	20	29	111
Measles	M	4	8	3	1	16
	F		4	1	2	7
Mumps	M	29	28	25	30	112
	F	20	26	27	22	95
Cold with exanthems by Enterovirus	M	1	1	8	5	15
	F	2	7	7	6	22
Mucocutaneous Lymphnode Syndrome	M					
	F				2	2
Acute hemorrhagic conjunctivitis	M					
	F					
Epidemic keratoconjunctivitis	M	10	14	11	16	51
	F	15	5	11	9	40
Acute encephalitis (excluding Japanese encephalitis)	M				1	1
	F				1	1
Bacterial meningitis	M			1	1	2
	F			1		1
Aseptic meningitis	M	6	1	2		9
	F	3			1	4
Mycoplasma pneumonia	M		2	2	1	5
	F		2	2	2	6
Chlamydial pneumonia (excluding psittacosis)	M					
	F					
Measles in adults	M	1		2	1	4
	F			5	2	7

(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)







