

INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Research Laboratory of Public Health

24 September 2002 / Number 37

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

Surveillance System in Tokyo, Japan

The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers (There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Research Laboratory of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail: idsc@tokyo-eiken.go.jp

URL: www.tokyo-eiken.go.jp

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		34th	35th	36th	37th	Total	37th	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Cholera	1				14		43
	Shigellosis		4	4	5	71	14	519
	Typhoid fever	1		1		20	1	49
	Paratyphoid fever					10	2	26
	Acute poliomyelitis							
	Diphtheria							
III	Enterohemorrhagic <i>Escherichia coli</i> infection	13	5	4	10	147	102	2598
IV	Amebiasis	6	4	5	5	91	5	332
	Echinococcosis							6
	Yellow fever							
	Psittacosis	1				3		49
	Relapsing fever							
	Acute viral hepatitis		2			137	4	736
	Q fever					28	1	35
	Rabies							
	Cryptosporidiosis			1		4	1	107
	Creutzfeldt-Jakob Disease				1	7	1	91
	Sever invasive streptococcal infections	1				9	1	68
	Acquired immunodeficiency syndrome	9	14	7	11	267	10	643
	Coccidioidomycosis							3
	Giardiasis		2		1	41		84
	Hemorrhagic fever with renal syndrome							
	Meningococcal meningitis					1		5
	Congenital rubella syndrome							
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)					6	2	120
	Dengue fever		2			13	2	43
	Japanese spotted fever							14
	Japanese encephalitis						1	1
	Infant botulism							
	Syphilis		4	2	1	43	5	397
	Tetanus					4		68
	Vancomycin-resistant <i>enterococcus</i> infection					6	1	31
	Hantavirus pulmonary syndrome							
	Helpes B virus infection							
	Brucellosis					1		1
	Epidemic typhus							
Malaria	2		1		20		58	
Lyme disease					2		12	
Legionellosis				1	13	3	124	







(Blank means 0.)







Number of patients with the diseases to be reported
by the designated clinics and hospitals






Diseases	Sex	Week(2002)				Total
		34th	35th	36th	37th	
Influenza	M					
	F					
Pharygoconjunctival fever	M	17	13	10	9	49
	F	9	13	5	6	33
Group A streptococcal pharyngitis	M	8	16	11	15	50
	F	11	12	21	10	54
Infectious gastroenteritis	M	116	150	157	160	583
	F	87	121	96	132	436
Chickenpox	M	32	21	29	22	104
	F	26	23	24	22	95
Hand, foot, and mouth disease	M	37	36	30	34	137
	F	21	25	20	17	83
Erythema infectiosum	M	2	7	9	2	20
	F	8	11	10	5	34
Exanthem subitum	M	40	52	41	56	189
	F	25	40	40	31	136
Pertussis	M	1	3	1	1	6
	F					
Rubella	M			1	1	2
	F	2		2	1	5
Herpangina	M	44	40	32	30	146
	F	30	20	29	24	103
Measles	M	8	3	1	2	14
	F	4	1	2	1	8
Mumps	M	28	25	30	24	107
	F	26	27	17	23	93
Cold with exanthems by Enterovirus	M	1	8	5	4	18
	F	7	7	6	4	24
Mucocutaneous Lymphnode Syndrome	M					
	F			2	1	3
Acute hemorrhagic conjunctivitis	M					
	F					
Epidemic keratoconjunctivitis	M	14	11	16	7	48
	F	5	11	9	3	28
Acute encephalitis (excluding Japanese encephalitis)	M			1		1
	F			1		1
Bacterial meningitis	M		1	1		2
	F		1			1
Aseptic meningitis	M	1	2			3
	F			1	2	3
Mycoplasma pneumonia	M	2	2	1	3	8
	F	2	2	2	1	7
Chlamydial pneumonia (excluding psittacosis)	M				1	1
	F					
Measles in adults	M		2	1		3
	F		5	2		7

(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)







Tokyo Metropolitan Government
Infectious Disease Surveillance Center

