

INFECTIOUS DISEASES WEEKLY REPORT

# TOKYO IDWR

Tokyo Metropolitan Research Laboratory of Public Health

14 January 2003 / Number 1

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

## Surveillance System in Tokyo, Japan

### The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

### Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers ( There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1<sup>st</sup> Week is early January and 52<sup>nd</sup> Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center  
Tokyo Metropolitan Research Laboratory of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail: [idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)

URL: [www.tokyo-eiken.go.jp](http://www.tokyo-eiken.go.jp)

## Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		50th	51st	52nd	1st	Total	1st	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Cholera							
	Shigellosis	4	3	1				
	Typhoid fever							
	Paratyphoid fever							
	Acute poliomyelitis							
	Diphtheria							
III	Enterohemorrhagic <i>Escherichia coli</i> infection		2		1	1		
IV	Amebiasis	3	3	4				
	Echinococcosis							
	Yellow fever							
	Psittacosis							
	Relapsing fever							
	Acute viral hepatitis		2	1				
	Q fever							
	Rabies							
	Cryptosporidiosis							
	Creutzfeldt-Jakob Disease	2		1				
	Sever invasive streptococcal infections		1					
	Acquired immunodeficiency syndrome	3	5					
	Coccidioidomycosis							
	Giardiasis							
	Hemorrhagic fever with renal syndrome							
	Meningococcal meningitis							
	Congenital rubella syndrome							
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)							
	Dengue fever	1						
	Japanese spotted fever							
	Japanese encephalitis							
	Infant botulism							
	Syphilis	1	2	2				
	Tetanus							
	Vancomycin-resistant <i>enterococcus</i> infection			1				
	Hantavirus pulmonary syndrome							
	Helpes B virus infection							
	Brucellosis							
	Epidemic typhus							
Malaria			1					
Lyme disease								
Legionellosis								
West Nile fever								







( Blank means 0. )







Number of patients with the diseases to be reported  
by the designated clinics and hospitals






Diseases	Sex	Week(2002)			Week(2003)	Total
		50th	51st	52nd	1st	
Influenza	M	59	167	356	<b>147</b>	729
	F	60	164	353	<b>139</b>	716
Pharygoconjunctival fever	M	5	6	9	<b>2</b>	22
	F	1	12	6	<b>1</b>	20
Group A streptococcal pharyngitis	M	43	61	35	<b>5</b>	144
	F	28	55	33	<b>3</b>	119
Infectious gastroenteritis	M	697	714	501	<b>71</b>	1983
	F	721	771	521	<b>74</b>	2087
Chickenpox	M	101	117	110	<b>38</b>	366
	F	98	111	90	<b>32</b>	331
Hand, foot, and mouth disease	M	5	6	3		14
	F	7	3	1	<b>1</b>	12
Erythema infectiosum	M	6	15	9		30
	F	11	9	11		31
Exanthem subitum	M	27	33	30	<b>2</b>	92
	F	20	35	26	<b>3</b>	84
Pertussis	M					
	F					
Rubella	M	1		1		2
	F			1		1
Herpangina	M	6	3	4		13
	F	3	2	4		9
Measles	M	5	3	3	<b>1</b>	12
	F	1	1	2	<b>1</b>	5
Mumps	M	23	27	14	<b>4</b>	68
	F	19	23	11	<b>2</b>	55
Cold with exanthems by Enterovirus	M	5	1	5		11
	F	4		2		6
Mucocutaneous Lymphnode Syndrome	M	2	3	2		7
	F					
Acute hemorrhagic conjunctivitis	M					
	F					
Epidemic keratoconjunctivitis	M	8	5	9	<b>3</b>	25
	F	14	7	5	<b>4</b>	30
Acute encephalitis (excluding Japanese encephalitis)	M					
	F					
Bacterial meningitis	M	1				1
	F					
Aseptic meningitis	M		1			1
	F	1				1
Mycoplasma pneumonia	M	4	2	3		9
	F	5		3		8
Chlamydial pneumonia (excluding psittacosis)	M					
	F					
Measles in adults	M		1			1
	F		1			1

( Blank means 0. )

# Disease Trend Graph (weekly reported cases per fixed-point in comparison)







**Tokyo Metropolitan Government  
Infectious Disease Surveillance Center**

