

INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Public Health Research Institute

12 August 2003 / Number 31

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

Surveillance System in Tokyo, Japan

The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers (There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Public Health Research Institute

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail: idsc@tokyo-eiken.go.jp

URL: idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		28th	29th	30th	31st	Total	31st	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Cholera					2		9
	Shigellosis	2	1	2	2	54	7	239
	Typhoid fever					14		35
	Paratyphoid fever		1			4		21
	Acute poliomyelitis							
	Diphtheria							
III	Enterohemorrhagic <i>Escherichia coli</i> infection	6	15	9	4	95	89	1115
IV	Amebiasis		2	1	2	70	7	300
	Echinococcosis						1	12
	Yellow fever							
	Psittacosis							33
	Relapsing fever							
	Acute viral hepatitis	3		1		52		482
	Q fever					1		6
	Rabies							
	Cryptosporidiosis	1		1	1	4		5
	Creutzfeldt-Jakob Disease		1		2	10	4	71
	Sever invasive streptococcal infections					4		38
	Acquired immunodeficiency syndrome	11	7	9	6	195	4	494
	Coccidioidomycosis							1
	Giardiasis	1	1	1		23	1	57
	Hemorrhagic fever with renal syndrome							
	Meningococcal meningitis					3		12
	Congenital rubella syndrome							1
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)						1	133
	Dengue fever	1			1	9	1	20
	Japanese spotted fever							16
	Japanese encephalitis							
	Infant botulism							
	Syphilis	4	1		4	48	11	298
	Tetanus					3		38
	Vancomycin-resistant <i>enterococcus</i> infection	1				3	1	42
	Hantavirus pulmonary syndrome							
	Helpes B virus infection							
	Brucellosis							
	Epidemic typhus							
Malaria	2			1	18		44	
Lyme disease						2	4	
Legionellosis					7	4	77	
West Nile fever								







(Blank means 0.)







Number of patients with the diseases to be reported
by the designated clinics and hospitals






Diseases	Sex	Week(2003)				Total
		28th	29th	30th	31st	
Influenza	M					13,398
	F					13,078
Pharygoconjunctival fever	M	55	43	39	38	487
	F	35	38	35	30	403
Group A streptococcal pharyngitis	M	47	26	38	24	1,418
	F	35	38	28	27	1,277
Infectious gastroenteritis	M	181	180	127	128	10,014
	F	163	137	102	116	9,332
Chickenpox	M	53	34	45	52	2,204
	F	46	38	53	34	1,895
Hand, foot, and mouth disease	M	426	467	353	264	2,772
	F	304	375	334	256	2,296
Erythema infectiosum	M	20	18	7	13	414
	F	19	12	16	15	419
Exanthem subitum	M	33	51	40	39	1,062
	F	42	36	36	29	1,089
Pertussis	M	1		3	1	12
	F				1	5
Rubella	M	3	2	1	2	51
	F	1	3	5	2	51
Herpangina	M	329	387	312	250	1,901
	F	290	393	259	223	1,716
Measles	M	2	1	3	4	163
	F	2	2	7	3	160
Mumps	M	15	21	15	15	489
	F	11	9	15	12	356
Cold with exanthems by Enterovirus	M	6	17	6	8	182
	F	11	13	8	9	176
Mucocutaneous Lymphnode Syndrome	M			2	1	19
	F	1		1		23
Acute hemorrhagic conjunctivitis	M					8
	F					7
Epidemic keratoconjunctivitis	M	13	16	12	17	309
	F	7	5	5	7	215
Acute encephalitis (excluding Japanese encephalitis)	M					2
	F					1
Bacterial meningitis	M					5
	F					6
Aseptic meningitis	M	2	6			18
	F		1		2	9
Mycoplasma pneumonia	M	1	2	1	3	38
	F	4	1		5	40
Chlamydial pneumonia (excluding psittacosis)	M		1		1	2
	F					
Measles in adults	M	5	6		1	75
	F	2	3		1	60

(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)







Tokyo Metropolitan Government
Infectious Disease Surveillance Center

