

INFECTIOUS DISEASES WEEKLY REPORT

# TOKYO IDWR

Tokyo Metropolitan Institute of Public Health

14 October 2003 / Number 40

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

## Surveillance System in Tokyo, Japan

### The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

### Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers ( There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1<sup>st</sup> Week is early January and 52<sup>nd</sup> Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center  
Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail: [idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)

URL: [idsc.tokyo-eiken.go.jp/](http://idsc.tokyo-eiken.go.jp/)

## Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		37th	38th	39th	40th	Total	40th	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Cholera		2			4	2	18
	Shigellosis	1	3	2	2	76	14	366
	Typhoid fever				2	17	3	47
	Paratyphoid fever		1			5	1	27
	Acute poliomyelitis							
	Diphtheria							
III	Enterohemorrhagic <i>Escherichia coli</i> infection	12	3	9	4	151	46	2043
IV	Amebiasis	1	3	1	3	92	6	386
	Echinococcosis							15
	Yellow fever							
	Psittacosis	1				2		35
	Relapsing fever							
	Acute viral hepatitis		6		1	61	3	544
	Q fever					1	1	7
	Rabies							
	Cryptosporidiosis					4		6
	Creutzfeldt-Jakob Disease					11		84
	Sever invasive streptococcal infections					5	1	45
	Acquired immunodeficiency syndrome	8	7	4	6	270	10	667
	Coccidioidomycosis							1
	Giardiasis			1		26	1	77
	Hemorrhagic fever with renal syndrome							
	Meningococcal meningitis					4		16
	Congenital rubella syndrome							1
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)				1	1	2	140
	Dengue fever					11		22
	Japanese spotted fever						2	41
	Japanese encephalitis							
	Infant botulism							
	Syphilis	1	2			54	5	369
	Tetanus					3		52
	Vancomycin-resistant <i>enterococcus</i> infection					3		47
	Hantavirus pulmonary syndrome							
	Helpes B virus infection							
	Brucellosis							
	Epidemic typhus							
	Malaria			1		23	1	57
	Lyme disease							4
Legionellosis	2				13	1	113	
West Nile fever								







( Blank means 0. )







Number of patients with the diseases to be reported  
by the designated clinics and hospitals






Diseases	Sex	Week(2003)				Total
		37th	38th	39th	40th	
Influenza	M					13,398
	F					13,078
Pharygoconjunctival fever	M	8	10	11	11	634
	F	11	7	7	5	499
Group A streptococcal pharyngitis	M	13	21	30	22	1,585
	F	19	19	17	18	1,423
Infectious gastroenteritis	M	170	154	161	175	11,176
	F	120	135	154	170	10,393
Chickenpox	M	30	28	26	21	2,486
	F	21	19	16	24	2,083
Hand, foot, and mouth disease	M	54	64	50	43	3,595
	F	51	45	31	27	2,981
Erythema infectiosum	M	9	6	7	6	507
	F	14	5	5	7	504
Exanthem subitum	M	46	45	43	48	1,439
	F	44	38	47	42	1,439
Pertussis	M				1	17
	F				1	7
Rubella	M		2		2	59
	F		2		2	57
Herpangina	M	62	54	38	36	2,567
	F	54	48	31	27	2,328
Measles	M		2	3		184
	F		3	1		172
Mumps	M	7	16	9	8	573
	F	9	7	8	11	420
Cold with exanthems by Enterovirus	M	5	11	9	6	240
	F	6	3	4	6	228
Mucocutaneous Lymphnode Syndrome	M			1		27
	F	1	2			29
Acute hemorrhagic conjunctivitis	M					8
	F		1			8
Epidemic keratoconjunctivitis	M	10	8	10	20	422
	F	9	5	5	4	276
Acute encephalitis (excluding Japanese encephalitis)	M					2
	F					1
Bacterial meningitis	M					5
	F					6
Aseptic meningitis	M	1	1		1	32
	F		3	3	1	26
Mycoplasma pneumonia	M		3		1	48
	F		6	3	3	58
Chlamydial pneumonia (excluding psittacosis)	M					2
	F					
Measles in adults	M		4			80
	F					60

( Blank means 0. )

# Disease Trend Graph (weekly reported cases per fixed-point in comparison)







Tokyo Metropolitan Government  
**Infectious Disease Surveillance Center**

