

INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Public Health Research Institute

11 November 2003 / Number 44

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

Surveillance System in Tokyo, Japan

The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers (There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail: idsc@tokyo-eiken.go.jp

URL: idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		41st	42nd	43rd	44th	Total	44th	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Cholera					4		20
	Shigellosis	4	6	5	2	93	4	415
	Typhoid fever					17	1	52
	Paratyphoid fever					5		29
	Acute poliomyelitis							
	Diphtheria							
III	Enterohemorrhagic <i>Escherichia coli</i> infection	7	2	3	5	169	33	2245
IV	Amebiasis	1	3	2	3	101	4	425
	Echinococcosis							17
	Yellow fever							
	Psittacosis					2		38
	Relapsing fever							
	Acute viral hepatitis	1				62	2	573
	Q fever					1		7
	Rabies							
	Cryptosporidiosis		1		1	6		8
	Creutzfeldt-Jakob Disease					11	1	96
	Sever invasive streptococcal infections					5	1	47
	Acquired immunodeficiency syndrome	15	4	8	6	303	4	752
	Coccidioidomycosis							1
	Giardiasis	1			1	28	1	85
	Hemorrhagic fever with renal syndrome							
	Meningococcal meningitis					4		16
	Congenital rubella syndrome							1
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)					1	4	156
	Dengue fever		2		1	14	1	28
	Japanese spotted fever						1	48
	Japanese encephalitis							
	Infant botulism							
	Syphilis		1		1	56	3	401
	Tetanus					3		59
	Vancomycin-resistant <i>enterococcus</i> infection					3		50
	Hantavirus pulmonary syndrome							
	Helpes B virus infection							
	Brucellosis							
	Epidemic typhus							
Malaria	3	3			29		67	
Lyme disease							5	
Legionellosis		2			15	2	126	
West Nile fever								







(Blank means 0.)







Number of patients with the diseases to be reported
by the designated clinics and hospitals






Diseases	Sex	Week(2003)				Total
		41st	42nd	43rd	44th	
Influenza	M			1	1	13,400
	F				2	13,080
Pharygoconjunctival fever	M	7	4	9	11	665
	F	4	3	8	11	525
Group A streptococcal pharyngitis	M	33	25	38	47	1,728
	F	23	30	39	43	1,558
Infectious gastroenteritis	M	221	194	267	315	12,173
	F	187	189	241	298	11,308
Chickenpox	M	29	38	50	64	2,668
	F	26	35	48	46	2,238
Hand, foot, and mouth disease	M	16	18	17	12	3,658
	F	19	16	12	13	3,041
Erythema infectiosum	M	10	9	11	19	556
	F	9	10	16	18	557
Exanthem subitum	M	49	45	37	32	1,602
	F	30	30	35	31	1,568
Pertussis	M	1	1			19
	F	3	2	1		13
Rubella	M	2		2	1	64
	F	1			2	60
Herpangina	M	24	12	11	8	2,622
	F	12	10	10	8	2,369
Measles	M			1		185
	F		1	1	3	177
Mumps	M	13	12	19	15	632
	F	9	6	15	5	455
Cold with exanthems by Enterovirus	M	11	2	8	3	265
	F	4	4	6	6	248
Mucocutaneous Lymphnode Syndrome	M		2	1		30
	F					29
Acute hemorrhagic conjunctivitis	M					8
	F					8
Epidemic keratoconjunctivitis	M	7	6	10	10	455
	F	12	8	3	6	305
Acute encephalitis (excluding Japanese encephalitis)	M					2
	F					1
Bacterial meningitis	M					5
	F			1		7
Aseptic meningitis	M		1		1	34
	F					26
Mycoplasma pneumonia	M	5	7	5		66
	F	4	4	2	3	73
Chlamydial pneumonia (excluding psittacosis)	M			1		3
	F					
Measles in adults	M					80
	F		1			61

(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)







Tokyo Metropolitan Government
Infectious Disease Surveillance Center

