

INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Public Health Research Institute

14 January 2004 / Number 1

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

Surveillance System in Tokyo, Japan

The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers (There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail: idsc@tokyo-eiken.go.jp

URL: idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		50th	51st	52nd	1st	Total	1st	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Severe acute respiratory syndrome							
	Smallpox							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Cholera							
	Shigellosis		3	3	1	1	7	7
	Diphtheria							
	Typhoid fever	1						
Paratyphoid fever	1							
III	Enterohemorrhagic <i>Escherichia coli</i> infection		2	3	1	1	6	6
IV	Hepatitis E			1				
	West Nile fever							
	Hepatitis A		1					
	Echinococcosis							
	Yellow fever							
	Psittacosis							
	Relapsing fever							
	Q fever							
	Rabies							
	High pathogenic avian influenza							
	Coccidioidomycosis							
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Anthrax							
	Scrub typhus (Tsumugamushi disease)						1	1
	Dengue fever							
	Nipah virus infection							
	Japanese spotted fever							
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	B virus disease							
Brucellosis								
Epidemic typhus								
Botulism								
Malaria	1	2						
Tularemia								
Lyme disease								
Lyssavirus infection								
Legionellosis			2					
Leptospirosis								
V	Amebiasis	1	5	3				
	Acute viral hepatitis(excluding Hepatitis A,Hepatitis E)							
	Acute encephalitis		1					
	Cryptosporidiosis							
	Creutzfeldt-Jakob Disease							
	Sever invasive streptococcal infections						1	1
	Acquired immunodeficiency syndrome	5	9	8			3	3
	Giardiasis							
	Meningococcal meningitis							
	Congenital rubella syndrome							
	Syphilis	1	1	3			1	1
	Tetanus							
	Vancomycin-resistant <i>Staphylococcus aureus</i> infection							
	Vancomycin-resistant <i>enterococcus</i> infection						1	1







(Blank means 0.)







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Sex	2003			2004	Total
		50th	51st	52nd	1st	
Respiratory syncytial virus infection	M	4	10	12	1	1
	F	10	8	8	1	1
Influenza	M	28	57	149	59	59
	F	28	70	150	64	64
Pharyngoconjunctival fever	M	20	12	13	2	2
	F	12	6	10	2	2
Group A streptococcal pharyngitis	M	68	70	71	6	6
	F	63	89	63	9	9
Infectious gastroenteritis	M	1023	1154	1018	192	192
	F	1012	1090	952	173	173
Chickenpox	M	105	117	96	43	43
	F	130	105	109	36	36
Hand, foot, and mouth disease	M	7	5	5	1	1
	F	3	4	5		
Erythema infectiosum	M	27	26	33	4	4
	F	32	25	22	2	2
Exanthem subitum	M	35	44	40	7	7
	F	38	45	34	6	6
Pertussis	M	1				
	F				1	1
Rubella	M			3	1	1
	F	1	1	1	1	1
Herpangina	M	3	3	4		
	F	2	2	3		
Measles	M		2	5		
	F	3		4		
Mumps	M	15	16	14	4	4
	F	12	7	18	1	1
Cold with exanthems by Enterovirus	M	2	5	4	1	1
	F	3	2	6		
Mucocutaneous Lymphnode Syndrome	M		1			
	F		1			
Acute hemorrhagic conjunctivitis	M					
	F					
Epidemic keratoconjunctivitis	M	6	14	5		
	F	6	13	10		
Bacterial meningitis	M	1	1			
	F					
Aseptic meningitis	M			2		
	F		1			
Mycoplasma pneumonia	M	1	3	1		
	F		2	2		
Chlamydial pneumonia (excluding psittacosis)	M					
	F					
Measles in adults	M					
	F					






(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)









Tokyo Metropolitan Government
Infectious Disease Surveillance Center