

INFECTIOUS DISEASES WEEKLY REPORT

# TOKYO IDWR

Tokyo Metropolitan Institute of Public Health

20 April 2004 / Number 15

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

## Surveillance System in Tokyo, Japan

### The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

### Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers ( There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1<sup>st</sup> Week is early January and 52<sup>nd</sup> Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center  
Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail: [idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)

URL: [idsc.tokyo-eiken.go.jp/](http://idsc.tokyo-eiken.go.jp/)

## Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				Total	Japan	
		12th	13th	14th	15th		15th	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Severe acute respiratory syndrome							
	Smallpox							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Cholera			1		1	1	7
	Shigellosis	2	3	3	4	32	7	101
	Diphtheria							
	Typhoid fever					1	3	9
	Paratyphoid fever					1	2	8
III	Enterohemorrhagic <i>Escherichia coli</i> infection	1	2		1	19	24	134
IV	Hepatitis E							(6)
	West Nile fever							
	Hepatitis A		2			9	(1)	(50)
	Echinococcosis							9
	Yellow fever							
	Psittacosis							6
	Relapsing fever							
	Q fever							2
	Rabies							
	High pathogenic avian influenza							
	Coccidioidomycosis							1
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Anthrax							
	Scrub typhus (Tsumugamushi disease)					5	1	52
	Dengue fever	2				3	1	6
	Nipah virus infection							
	Japanese spotted fever						1	1
	Japanese encephalitis							1
	Hantavirus pulmonary syndrome							
	B virus disease							
Brucellosis								
Epidemic typhus								
Botulism								
Malaria		1			6	1	16	
Tularemia								
Lyme disease							1	
Lyssavirus infection								
Legionellosis					2		25	
Leptospirosis	1				1		1	
V	Amebiasis	2	5	3	1	41	7	154
	Acute viral hepatitis(excluding Hepatitis A,Hepatitis E)	1				8	4	66
	Acute encephalitis					1	2	11
	Cryptosporidiosis					1		1
	Creutzfeldt-Jakob Disease					2	1	46
	Sever invasive streptococcal infections			1		4		14
	Acquired immunodeficiency syndrome	8	5	14	12	110	8	246
	Giardiasis	3		2		7	1	18
	Meningococcal meningitis					2		8
	Congenital rubella syndrome					1		2
	Syphilis	1	2	1	1	18	8	124
	Tetanus	1				1		12
	Vancomycin-resistant <i>Staphylococcus aureus</i> infection							
	Vancomycin-resistant <i>enterococcus</i> infection					1	2	11







( Blank means 0. )







Number of patients with the diseases to be reported  
by the designated clinics and hospitals







Diseases	Sex	2004				Total
		12th	13th	14th	15th	
Respiratory syncytial virus infection	M	3	1	3	4	11
	F	2		1	3	6
Influenza	M	44	24	15	6	89
	F	47	19	12	4	82
Pharygoconjunctival fever	M	5	9	11	10	35
	F	7	9	8	9	33
Group A streptococcal pharyngitis	M	90	109	78	80	357
	F	87	72	81	62	302
Infectious gastroenteritis	M	562	499	436	340	1,837
	F	572	475	384	315	1,746
Chickenpox	M	84	88	91	77	340
	F	62	90	81	91	324
Hand, foot, and mouth disease	M	1	1		2	4
	F	1	1		2	4
Erythema infectiosum	M	35	25	45	32	137
	F	38	28	36	41	143
Exanthem subitum	M	25	32	28	46	131
	F	26	35	31	42	134
Pertussis	M		2		1	3
	F					
Rubella	M	5	3	7	4	19
	F	1	6	4	3	14
Herpangina	M	3		3	1	7
	F	1	1	1	3	6
Measles	M	1	5	1	1	8
	F		1	2	2	5
Mumps	M	9	16	18	27	70
	F	15	16	15	17	63
Cold with exanthems by Enterovirus	M	2	3	3	6	14
	F	2	5	1	4	12
Mucocutaneous Lymphnode Syndrome	M	1	1			2
	F	1				1
Acute hemorrhagic conjunctivitis	M					
	F					
Epidemic keratoconjunctivitis	M	14	9	6	10	39
	F	11	15	8	8	42
Bacterial meningitis	M				1	1
	F		1			1
Aseptic meningitis	M	1				1
	F	1			1	2
Mycoplasma pneumonia	M	3	1	2	3	9
	F	2	2	1	2	7
Chlamydial pneumonia (excluding psittacosis)	M					
	F					
Measles in adults	M		1			1
	F					






( Blank means 0. )

# Disease Trend Graph (weekly reported cases per fixed-point in comparison)









Tokyo Metropolitan Government  
**Infectious Disease Surveillance Center**