

INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Institute of Public Health

26 October 2004 / Number 42

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

Surveillance System in Tokyo, Japan

The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers (There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:idsc@tokyo-eiken.go.jp
URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		39th	40th	41st	42nd	Total	42nd	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Severe acute respiratory syndrome							
	Smallpox							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Cholera	1		1		10	1	72
	Shigellosis	5	4	4	4	109	11	487
	Diphtheria							
	Typhoid fever				1	14	2	56
	Paratyphoid fever	1		1		15	1	71
III	Enterohemorrhagic <i>Escherichia coli</i> infection	7	5	9	3	244	81	3248
IV	Hepatitis E		1			4		(25)
	West Nile fever							
	Hepatitis A			1	1	21	(2)	(116)
	Echinococcosis							23
	Yellow fever							
	Psittacosis	1				3	2	37
	Relapsing fever							
	Q fever					1	1	7
	Rabies							
	High pathogenic avian influenza							
	Coccidioidomycosis				1	1	2	6
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Anthrax							
	Scrub typhus (Tsumugamushi disease)			1		6	1	103
	Dengue fever				1	23		38
	Nipah virus infection							
	Japanese spotted fever						1	53
	Japanese encephalitis							4
	Hantavirus pulmonary syndrome							
	B virus disease							
	Brucellosis							
Epidemic typhus								
Botulism								
Malaria	1				18	1	60	
Tularemia								
Lyme disease							3	
Lyssavirus infection								
Legionellosis		1			2	16	6	115
Leptospirosis					3	(1)	(7)	
V	Amebiasis	1	4	5	2	113	8	471
	Acute viral hepatitis(excluding Hepatitis A,Hepatitis E)			2	2	48	4	237
	Acute encephalitis				1	6	(5)	(54)
	Cryptosporidiosis				1	8		90
	Creutzfeldt-Jakob Disease	1			2	16	1	132
	Sever invasive streptococcal infections					5		47
	Acquired immunodeficiency syndrome	8	9	3	5	340	7	897
	Giardiasis					17	2	70
	Meningococcal meningitis			1		6		20
	Congenital rubella syndrome					3		8
	Syphilis	2		4	1	54	7	399
	Tetanus				1	2		82
	Vancomycin-resistant <i>Staphylococcus aureus</i> infection							
	Vancomycin-resistant <i>enterococcus</i> infection	1				9		41







(Blank means 0.)







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Sex	2004				Total
		39th	40th	41st	42nd	
Respiratory syncytial virus infection	M	2	10			12
	F	3	10			13
Influenza	M			3	13	16
	F			2	17	19
Pharyngoconjunctival fever	M	8	8	9	6	31
	F	11	11	10	5	37
Group A streptococcal pharyngitis	M	15	34	28	25	102
	F	10	20	24	25	79
Infectious gastroenteritis	M	147	140	152	173	612
	F	125	131	127	127	510
Chickenpox	M	19	25	24	38	106
	F	23	20	27	29	99
Hand, foot, and mouth disease	M	43	40	48	67	198
	F	45	31	54	52	182
Erythema infectiosum	M	8	5	2	6	21
	F	10	1	1	4	16
Exanthem subitum	M	56	55	40	26	177
	F	58	37	42	32	169
Pertussis	M			1	1	2
	F	1	2			3
Rubella	M	2		3	1	6
	F		1	1		2
Herpangina	M	14	15	12	7	48
	F	16	16	7	11	50
Measles	M		1		1	2
	F				1	1
Mumps	M	31	45	60	43	179
	F	28	38	28	25	119
Cold with exanthems by Enterovirus	M	3	13	3	5	24
	F	13	3	5	1	22
Mucocutaneous Lymphnode Syndrome	M	1	2			3
	F		1		2	3
Acute hemorrhagic conjunctivitis	M		1			1
	F					
Epidemic keratoconjunctivitis	M	7	7	6	5	25
	F	6	2	3	7	18
Bacterial meningitis	M		1			1
	F					
Aseptic meningitis	M		1	1		2
	F	1			1	2
Mycoplasma pneumonia	M	1			2	3
	F	1	3	1		5
Chlamydial pneumonia (excluding psittacosis)	M			1		1
	F					
Measles in adults	M					
	F					






(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)









Tokyo Metropolitan Government
Infectious Disease Surveillance Center