

INFECTIOUS DISEASES WEEKLY REPORT

TOKYO iDWR

Tokyo Metropolitan Institute of Public Health

28 June 2005 / Number 24

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the designated clinics and hospitals
- Disease trend graph (weekly reported cases per fixed-point in comparison)

Surveillance System in Tokyo, Japan

The diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual case to Tokyo Metropolitan Infectious Disease Surveillance Center.

Fixed-point surveillance

The numbers of patients who visit designated clinics or hospitals during a week are reported to health centers (There are 37 in Tokyo). And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 200 fixed points (clinics and hospitals) in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:idsc@tokyo-eiken.go.jp
URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		21st	22nd	23rd	24th	Total	24th	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Severe acute respiratory syndrome							
	Smallpox							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Cholera					3		24
	Shigellosis	1	1	2		39	4	252
	Diphtheria							
	Typhoid fever					4		23
	Paratyphoid fever		1			3		6
III	Enterohemorrhagic <i>Escherichia coli</i> infection	4	4	3	3	27	77	659
IV	Hepatitis E					4		(23)
	West Nile fever							
	Hepatitis A		1		1	12	(3)	(98)
	Echinococcosis							10
	Yellow fever							
	Psittacosis					2	1	25
	Relapsing fever							
	Q fever			2		2		5
	Rabies							
	High pathogenic avian influenza							
	Coccidioidomycosis							
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)					3	2	79
	Dengue fever					4		15
	Nipah virus infection							
	Japanese spotted fever							9
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	B virus disease							
	Brucellosis							
	Epidemic typhus							
	Botulism					1		
	Malaria	1				7		28
	Tularemia							
	Lyme disease							
	Lyssavirus infection							
	Legionellosis	1	1		1	7	6	70
	Leptospirosis					1		(2)
V	Amebiasis	1	5	2	4	79	6	302
	Acute viral hepatitis(excluding Hepatitis A,Hepatitis E)		5		1	25	5	135
	Acute encephalitis					10	(3)	(110)
	Cryptosporidiosis					1		5
	Creutzfeldt-Jakob Disease				1	9		61
	Sever invasive streptococcal infections					2	1	30
	Acquired immunodeficiency syndrome	8	8	12	36	194	15	504
	Giardiasis			1	1	6	1	27
	Meningococcal meningitis			1		2		6
	Congenital rubella syndrome							
	Syphilis	1	1		1	36	2	225
	Tetanus					1	4	38
	Vancomycin-resistant <i>Staphylococcus aureus</i> infection							
	Vancomycin-resistant <i>enterococcus</i> infection	2				7		32







(Blank means 0.)







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Sex	2005				Total
		21st	22nd	23rd	24th	
Respiratory syncytial virus infection	M	3	1	2	3	9
	F	2	2	3	2	9
Influenza	M	11	7	2	1	21
	F	18	3	4	5	30
Pharyngoconjunctival fever	M	21	29	50	52	152
	F	23	21	42	38	124
Group A streptococcal pharyngitis	M	120	141	138	128	527
	F	98	101	102	108	409
Infectious gastroenteritis	M	462	401	392	324	1,579
	F	363	372	353	318	1,406
Chickenpox	M	137	110	133	144	524
	F	122	86	131	112	451
Hand, foot, and mouth disease	M	15	23	53	89	180
	F	16	25	36	44	121
Erythema infectiosum	M	42	30	37	24	133
	F	24	34	29	38	125
Exanthem subitum	M	47	43	52	55	197
	F	50	38	53	38	179
Pertussis	M				1	1
	F					
Rubella	M		1	2		3
	F			1	2	3
Herpangina	M	30	57	129	171	387
	F	38	44	111	182	375
Measles	M	2		1		3
	F	4		2	1	7
Mumps	M	70	95	84	111	360
	F	64	98	60	87	309
Cold with exanthems by Enterovirus	M	4	9	7	5	25
	F	4	2	6	2	14
Mucocutaneous Lymphnode Syndrome	M	2	2		1	5
	F		1		1	2
Acute hemorrhagic conjunctivitis	M				1	1
	F					
Epidemic keratoconjunctivitis	M	3	9	7	4	23
	F	4	6	4	4	18
Bacterial meningitis	M	1				1
	F					
Aseptic meningitis	M			1		1
	F					
Mycoplasma pneumonia	M	1		5	2	8
	F			1		1
Chlamydial pneumonia (excluding psittacosis)	M		1	1		2
	F					
Measles in adults	M					
	F					






(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)









Tokyo Metropolitan Government
Infectious Disease Surveillance Center