

INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Institute of Public Health

11 July 2006 / Number 26

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the sentinel clinics and hospitals
- Disease trend graph (weekly reported cases per sentinel in comparison)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 260 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:idsc@tokyo-eiken.go.jp
URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				Japan		
		23rd	24th	25th	26th	Total	26th	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Severe acute respiratory syndrome							
	Smallpox							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Cholera	2		1		4	2	21
	Shigellosis			1	1	30	4	204
	Diphtheria							
	Typhoid fever			1		13	1	42
	Paratyphoid fever					9		14
III	Enterohemorrhagic <i>Escherichia coli</i> infection	3	8	3	16	63	111	742
IV	Hepatitis E				1	2	1	36
	West Nile fever							
	Hepatitis A	1		1		22	1	211
	Echinococcosis							12
	Yellow fever							
	Psittacosis					3		15
	Relapsing fever							
	Q fever							
	Rabies							
	High pathogenic avian influenza							
	Coccidioidomycosis							1
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)						6	145
	Dengue fever					4	1	19
	Nipah virus infection							
	Japanese spotted fever							10
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
B virus disease								
Brucellosis					1		2	
Epidemic typhus								
Botulism							1	
Malaria				1	8	2	24	
Tularemia								
Lyme disease							1	
Lyssavirus infection								
Legionellosis	2	3	1	3	31	13	177	
Leptospirosis								
V	Amebiasis	3	2	4	6	90	12	313
	Acute viral hepatitis(excluding Hepatitis A,Hepatitis E)	1			3	20	5	111
	Acute encephalitis					4		91
	Cryptosporidiosis					5		7
	Creutzfeldt-Jakob Disease					9		79
	Sever invasive streptococcal infections	1	1	1	2	10	1	63
	Acquired immunodeficiency syndrome	4	10	8	14	227	16	572
	Giardiasis	1		2		13	2	41
	Meningococcal meningitis					1		8
	Congenital rubella syndrome							
	Syphilis		8		2	50	12	285
	Tetanus	1				3	3	35
	Vancomycin-resistant <i>Staphylococcus aureus</i> infection							
	Vancomycin-resistant <i>enterococcus</i> infection					4		37







(Blank means 0.)







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Sex	2006				Total
		23rd	24th	25th	26th	
Respiratory syncytial virus infection	M	3				3
	F	1				1
Influenza	M	2	2	1	2	7
	F	1	3	2		6
Pharygoconjunctival fever	M	94	94	127	120	435
	F	81	74	112	101	368
Group A streptococcal pharyngitis	M	161	160	150	107	578
	F	112	132	119	101	464
Infectious gastroenteritis	M	276	285	276	266	1,103
	F	268	249	214	219	950
Chickenpox	M	157	116	140	110	523
	F	103	107	122	100	432
Hand, foot, and mouth disease	M	36	31	50	53	170
	F	18	22	34	30	104
Erythema infectiosum	M	45	66	48	52	211
	F	32	35	49	50	166
Exanthem subitum	M	29	42	54	57	182
	F	35	40	40	43	158
Pertussis	M				1	1
	F	1			1	2
Rubella	M					
	F		2			2
Herpangina	M	246	354	435	417	1,452
	F	255	329	355	367	1,306
Measles	M			1		1
	F			1		1
Mumps	M	43	49	66	57	215
	F	61	49	59	68	237
Cold with exanthems by Enterovirus	M	10	12	23	14	59
	F	22	14	14	14	64
Mucocutaneous Lymphnode Syndrome	M		1	2	1	4
	F	3			2	5
Acute hemorrhagic conjunctivitis	M				1	1
	F					
Epidemic keratoconjunctivitis	M	7	7	7	9	30
	F	9	5	4	5	23
Bacterial meningitis	M		1			1
	F	1				1
Aseptic meningitis	M		1	1		2
	F					
Mycoplasma pneumonia	M	1	1	2	1	5
	F		1			1
Chlamydial pneumonia (excluding psittacosis)	M					
	F					
Measles in adults	M					
	F					






(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)









Tokyo Metropolitan Government
Infectious Disease Surveillance Center