

INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Institute of Public Health

28 November 2006 / Number 46

- Number of patients with the diseases required notifying all the cases
- Number of patients with the diseases to be reported by the sentinel clinics and hospitals
- Disease trend graph (weekly reported cases per sentinel in comparison)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 260 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Infectious Disease Surveillance Center
Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:idsc@tokyo-eiken.go.jp
URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				Japan		
		43rd	44th	45th	46th	Total	46th	Total
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Severe acute respiratory syndrome							
	Smallpox							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Cholera					8		46
	Shigellosis	1	2		1	59	3	439
	Diphtheria							
	Typhoid fever	1				17		66
	Paratyphoid fever					11		22
III	Enterohemorrhagic <i>Escherichia coli</i> infection	2	5	3	5	257	49	3633
IV	Hepatitis E			1		4	2	61
	West Nile fever							
	Hepatitis A					26	3	304
	Echinococcosis					1		19
	Yellow fever							
	Psittacosis					4	1	20
	Relapsing fever							
	Q fever						1	2
	Rabies							1
	High pathogenic avian influenza							
	Coccidioidomycosis					1		2
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Anthrax							
	Scrub typhus (Tsutsugamushi disease)						24	244
	Dengue fever				2	16	2	52
	Nipah virus infection							
	Japanese spotted fever						2	43
	Japanese encephalitis							7
	Hantavirus pulmonary syndrome							
	B virus disease							
Brucellosis					1		5	
Epidemic typhus								
Botulism							2	
Malaria		1			14	1	56	
Tularemia								
Lyme disease					2		11	
Lyssavirus infection								
Legionellosis	1				54	3	445	
Leptospirosis					4		23	
V	Amebiasis	2	2	6	3	166	11	657
	Acute viral hepatitis(excluding Hepatitis A,Hepatitis E)	1	1			31	1	250
	Acute encephalitis			1		6	2	141
	Cryptosporidiosis					5		15
	Creutzfeldt-Jakob Disease	2	2		1	19	1	153
	Sever invasive streptococcal infections		1			13	1	97
	Acquired immunodeficiency syndrome	12	3	22	15	405	10	1155
	Giardiasis	2	1	2		26		80
	Meningococcal meningitis					1		13
	Congenital rubella syndrome							
	Syphilis	3	3	5	4	121	6	550
	Tetanus					7	1	107
	Vancomycin-resistant <i>Staphylococcus aureus</i> infection							
	Vancomycin-resistant <i>enterococcus</i> infection	1		2		17	2	65







(Blank means 0.)







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Sex	2006				Total
		43rd	44th	45th	46th	
Respiratory syncytial virus infection	M	7	5	6	13	31
	F	4	6	2	9	21
Influenza	M			1	1	2
	F				2	2
Pharyngoconjunctival fever	M	14	14	18	16	62
	F	12	13	6	8	39
Group A streptococcal pharyngitis	M	106	96	115	127	444
	F	89	98	100	107	394
Infectious gastroenteritis	M	407	487	721	1,148	2,763
	F	381	454	678	1,149	2,662
Chickenpox	M	48	52	59	63	222
	F	47	37	57	55	196
Hand, foot, and mouth disease	M	34	40	39	34	147
	F	35	35	23	24	117
Erythema infectiosum	M	18	19	22	21	80
	F	29	18	35	29	111
Exanthem subitum	M	35	27	50	44	156
	F	50	29	42	24	145
Pertussis	M			1		1
	F					
Rubella	M					
	F		2			2
Herpangina	M	4	11	8	3	26
	F	6	6	1	2	15
Measles	M	1		1	1	3
	F					
Mumps	M	23	41	36	20	120
	F	32	34	33	20	119
Cold with exanthems by Enterovirus	M	5	4	6	4	19
	F	4	3	8	3	18
Mucocutaneous Lymphnode Syndrome	M	1		1		2
	F		1	1	1	3
Acute hemorrhagic conjunctivitis	M					
	F					
Epidemic keratoconjunctivitis	M	3	2	6	5	16
	F	4	4	7	7	22
Bacterial meningitis	M					
	F					
Aseptic meningitis	M	1		2	1	4
	F		1			1
Mycoplasma pneumonia	M	8	6	10	5	29
	F	4	9	4	2	19
Chlamydial pneumonia (excluding psittacosis)	M			1		1
	F			3		3
Measles in adults	M					
	F					






(Blank means 0.)

Disease Trend Graph (weekly reported cases per fixed-point in comparison)









Tokyo Metropolitan Government
Infectious Disease Surveillance Center