

## **27 March 2008 / Number 12**

### **Surveillance System in Tokyo, Japan**

**The infectious diseases which all physicians must report**

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

**The infectious diseases required to be reported by the sentinels**

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 400 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

**Tokyo Metropolitan Institute of Public Health  
Epidemiological Information Office**

TEL:81-3-3363-3213 FAX:81-3-5332-7365  
e-mail:[idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)  
URL:[idsc.tokyo-eiken.go.jp/](http://idsc.tokyo-eiken.go.jp/)

---

# Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		9th	10th	11th	12th	Cum 2008	12th	Cum 2008
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
II	Lassa fever							
	Acute poliomyelitis							1
	Tuberculosis	78	71	50	46	792	228	4864
	Diphtheria							
III	Severe Acute Respiratory Syndrome(SARS)							
	Cholera						1	5
	Shigellosis		2	2	2	16	5	71
	Enterohemorrhagic Escherichia coli infection		2		2	10	24	220
	Typhoid fever					3	1	11
IV	Paratyphoid fever					1		6
	Hepatitis E					2		10
	West Nile fever							
	Hepatitis A	1	1			9	1	45
	Echinococcosis							4
	Yellow fever							
	Psittacosis							
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever					1	1	
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Scrub typhus(Tsutsugamushi disease)					4		38
	Dengue fever					3	1	12
	Eastern equine encephalitis							
	Avian influenza virus infection							
	Nipah virus infection							
	Japanese spotted fever							1
	Japanese encephalitis							
	Epidemic typhus							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Botulism							
	Malaria	1				4	1	7
	Tularemia							2
	Lyme disease							1
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							
	Legionellosis		2		1	15	5	171
	Leptospirosis							
	Rocky mountain spotted fever							







Category	Diseases	Tokyo					Japan	
		9th	10th	11th	12th	Cum 2008	12th	Cum 2008
V	Amebiasis	4	3		2	35	5	173
	Viral hepatitis(excluding hepatitis A and E)	1		1		7	2	44
	Acute encephalitis(excluding JE and WNE)					5	3	56
	Cryptosporidiosis							
	Creutzfeldt-Jakob disease			1		1	1	28
	Severe invasive streptococcal infections(TSLS)	1				6	1	26
	Acquired immunodeficiency syndrome (AIDS)	20	11	7	16	126	11	295
	Giardiasis	1		1		4	2	17
	Meningococcal meningitis					1	5	
	Congenital rubella syndrome							
	Syphilis	6	3	4	7	38	7	158
	Tetanus					2		14
	Vancomycin-resistant S. aureus infection							
	Vancomycin-resistant Enterococcus infection					2	1	11
	Rubella	1	2		1	11	5	100
	Measles	95	69	65	53	553	331	4648
designated	Influenza (H5N1)							







Number of patients with the diseases to be reported  
by the designated clinics and hospitals







Diseases	2008				
	9th	10th	11th	12th	/sentinel
Respiratory syncytial virus infection	11	13	3	9	0.06
Pharygoconjunctival fever	27	26	32	34	0.23
Group A streptococcal pharyngitis	409	387	382	313	2.10
Infectious gastroenteritis	2,028	2,337	2,380	1,791	12.02
Chickenpox	190	179	185	179	1.20
Hand, foot, and mouth disease	4	3	7	4	0.03
Erythema infectiosum	19	19	18	17	0.11
Exanthem subitum	92	81	91	66	0.44
Pertussis	4	3	2		
Herpangina	2	1		3	0.02
Mumps	37	59	47	50	0.34
Cold with exanthems by Enterovirus	6	9	8	6	0.04
Mucocutaneous Lymphnode Syndrome	2	2	2	4	0.03
Influenza	1,027	849	750	394	1.37
Acute hemorrhagic conjunctivitis			4	1	0.03
Epidemic keratoconjunctivitis	16	21	12	10	0.26
Bacterial meningitis			1	1	0.04
Aseptic meningitis				1	0.04
Mycoplasma pneumonia	2	5	4	9	0.38
Chlamydial pneumonia (excluding psittacosis)					


( Blank means 0. )

# Disease Trend Graph (weekly reported cases per sentinel in comparison)









Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	150	149
Influenza	290	287
Ophthalmic	39	38
Specially-designated	24	24

Tokyo Metropolitan Government  
Infectious Disease Surveillance Center