

## **28 May 2009 / Number 21**

### **Surveillance System in Tokyo, Japan**

**The infectious diseases which all physicians must report**

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

**The infectious diseases required to be reported by the sentinels**

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 400 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Institute of Public Health  
Epidemiological Information Office

TEL:81-3-3363-3213 FAX:81-3-5332-7365  
e-mail:[idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)  
URL:[idsc.tokyo-eiken.go.jp/](http://idsc.tokyo-eiken.go.jp/)

---

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		18th	19th	20th	21th	Cum 2009	21th	Cum 2009
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
II	Lassa fever							
	Acute poliomyelitis							
	Tuberculosis	91	28	80	66	1526	288	9754
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
III	Avian influenza H5N1							
	Cholera							2
	Shigellosis	1		1		13	3	72
	Enterohemorrhagic Escherichia coli infection	1		3	3	26	45	432
	Typhoid fever					7		13
IV	Paratyphoid fever					3	1	7
	Hepatitis E					3		16
	West Nile fever							
	Hepatitis A	1		1		5	4	42
	Echinococcosis					1		9
	Yellow fever							
	Psittacosis				1			5
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							1
	Rabies							
	Coccidioidomycosis					1		1
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Scrub typhus(Tsutsugamushi disease)					2	2	59
	Dengue fever	1				8	1	27
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1)							
	Nipah virus infection							
	Japanese spotted fever						3	12
	Japanese encephalitis							
	Epidemic typhus							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							1
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Botulism							
	Malaria	1				12		23
	Tularemia							
	Lyme disease							
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis					21	10	224
	Legionellosis							
	Leptospirosis							2
	Rocky mountain spotted fever							

Category	Diseases	Tokyo					Japan	
		18th	19th	20th	21th	Cum 2009	21th	Cum 2009
V	Amebiasis	2	1	5	1	56	9	329
	Viral hepatitis(excluding hepatitis A and E)		1			18	2	81
	Acute encephalitis(excluding JE and WNE)				1	10	2	94
	Cryptosporidiosis					1		2
	Creutzfeldt-Jakob disease	1		1		8	4	46
	Severe invasive streptococcal infections(TSLS)					5	1	51
	Acquired immunodeficiency syndrome (AIDS)	5	2	4	12	185	14	557
	Giardiasis				1	15	1	33
	Meningococcal meningitis							7
	Congenital rubella syndrome							
	Syphilis	4	1	1	4	85	8	271
	Tetanus			1		3	3	31
	Vancomycin-resistant S. aureus infection							
	Vancomycin-resistant Enterococcus infection	1			1	5		35
	Rubella					4	1	76
	Measles	5	2	4	6	50	19	364
Novel Flu	Novel influenza (swine-origin influenza A/H1N1) *				3	3	276	337


\* laboratory confirmed cases




Number of patients with the diseases to be reported  
by the designated clinics and hospitals




Diseases	2009				
	18th	19th	20th	21th	/sentinel
Respiratory syncytial virus infection		4	8	5	0.03
Pharygoconjunctival fever	32	24	45	45	0.31
Group A streptococcal pharyngitis	277	149	281	297	2.02
Infectious gastroenteritis	1,016	672	867	829	5.64
Chickenpox	133	162	174	192	1.31
Hand, foot, and mouth disease	12	10	20	22	0.15
Erythema infectiosum	36	22	45	55	0.37
Exanthem subitum	99	58	90	110	0.75
Pertussis	5	1	1	4	0.03
Herpangina	6	3	9	13	0.09
Mumps	106	93	143	136	0.93
Cold with exanthems by Enterovirus	7	7	13	20	0.14
Mucocutaneous Lymphnode Syndrome	1		1		
Influenza	474	175	127	159	0.55
Acute hemorrhagic conjunctivitis	3	1	2		
Epidemic keratoconjunctivitis	16	14	12	13	0.34
Bacterial meningitis	1				
Aseptic meningitis	9	1			
Mycoplasma pneumonia	4	4	8	7	0.29
Chlamydial pneumonia (excluding psittacosis)				3	0.13


( Blank means 0. )

# Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities  
for weekly reporting

Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	150	147
Influenza	290	287
Ophthalmic	39	38
Specially-designated	24	24

Tokyo Metropolitan Government  
Infectious Disease Surveillance Center