

10 June 2010 / Number 22

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 400 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Institute of Public Health
Epidemiological Information Office

TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:idsc@tokyo-eiken.go.jp
URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		19th	20th	21st	22nd	Cum 2010	22nd	Cum 2010
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							1
	Tuberculosis	84	103	89	59	1680	345	9765
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Avian influenza H5N1							
III	Cholera						1	4
	Shigellosis	1	4	1	1	32	4	75
	Enterohemorrhagic Escherichia coli infection			1	2	52	92	594
	Typhoid fever					2		12
	Paratyphoid fever					2		10
IV	Hepatitis E			1		6		28
	West Nile fever							
	Hepatitis A	5	2	2		32	4	227
	Echinococcosis							2
	Yellow fever							
	Psittacosis							2
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Scrub typhus(Tsutsugamushi disease)			1		4	9	72
	Dengue fever		1	1		13	1	50
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1)							
	Nipah virus infection							
	Japanese spotted fever					1	1	14
	Japanese encephalitis							
	Epidemic typhus							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							1
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Botulism							
	Malaria					9		24
	Tularemia							
	Lyme disease					1		3
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis					1		2
	Legionellosis	1	2	1		14	11	215
	Leptospirosis					1	1	2
	Rocky mountain spotted fever							


Category	Diseases	Tokyo					Japan		
		19th	20th	21st	22nd	Cum 2010	22nd	Cum 2010	
V	Amebiasis	3	5	1	9	71	12	330	
	Viral hepatitis(excluding hepatitis A and E)	2	2	1		20		80	
	Acute encephalitis(excluding JE and WNE)					8	1	102	
	Cryptosporidiosis					1		4	
	Creutzfeldt-Jakob disease			1		7	2	57	
	Severe invasive streptococcal infections(TSLS)	1	1			7	2	52	
	Acquired immunodeficiency syndrome (AIDS)	15	9	11	9	201	14	580	
	Giardiasis		1		1	8	2	34	
	Meningococcal meningitis							4	
	Congenital rubella syndrome								
	Syphilis	4	2	1	6	66	6	227	
	Tetanus					2	3	37	
	Vancomycin-resistant <i>S. aureus</i> infection								
	Vancomycin-resistant Enterococcus infection		1			8	1	43	
	Rubella			1	1	10	3	43	
	Measles	3	2	3	2	34	8	227	
	Novel Flu	Novel influenza (swine-origin influenza A/H1N1)	—	—	—	—	/\	—	




Number of patients with the diseases to be reported
by the designated clinics and hospitals





Diseases	2010				
	19th	20th	21st	22nd	/sentinel
Respiratory syncytial virus infection	8	14	9	4	0.03
Pharygoconjunctival fever	41	39	48	54	0.37
Group A streptococcal pharyngitis	247	295	312	335	2.28
Infectious gastroenteritis	1,055	1,125	1,035	1,092	7.43
Chickenpox	302	222	326	264	1.80
Hand, foot, and mouth disease	53	103	107	117	0.80
Erythema infectiosum	55	97	54	114	0.78
Exanthem subitum	97	95	90	74	0.50
Pertussis	7	18	20	30	0.20
Herpangina	47	61	113	148	1.01
Mumps	163	133	120	142	0.97
Cold with exanthems by Enterovirus	14	16	11	18	0.12
Mucocutaneous Lymphnode Syndrome	3	1	1	2	0.01
Influenza	15	25	18	24	0.08
Acute hemorrhagic conjunctivitis	1	6	1	2	0.05
Epidemic keratoconjunctivitis	11	14	16	20	0.51
Bacterial meningitis	1				
Aseptic meningitis	1				
Mycoplasma pneumonia	5	5	7	8	0.33
Chlamydial pneumonia (excluding psittacosis)					


(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	150	147
Influenza	290	285
Ophthalmic	39	39
Specially- designated	24	24

Tokyo Metropolitan Government
Infectious Disease Surveillance Center