

15 July 2010 / Number 27

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 400 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Institute of Public Health
Epidemiological Information Office

TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:idsc@tokyo-eiken.go.jp
URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		24th	25th	26th	27th	Cum 2010	27th	Cum 2010
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							1
	Tuberculosis	85	79	63	71	2132	308	12618
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Avian influenza H5N1							
III	Cholera						1	4
	Shigellosis		1	1	4	39	5	93
	Enterohemorrhagic Escherichia coli infection	10	12	9	12	99	144	1302
	Typhoid fever		1			3		15
	Paratyphoid fever			1		3		14
IV	Hepatitis E					6		37
	West Nile fever							
	Hepatitis A				1	33	5	262
	Echinococcosis							5
	Yellow fever							
	Psittacosis						1	6
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Scrub typhus(Tsutsugamushi disease)					5	3	106
	Dengue fever		2	2		19	1	63
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1)							
	Nipah virus infection							
	Japanese spotted fever					1		25
	Japanese encephalitis							
	Epidemic typhus							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							2
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Botulism							
	Malaria			2	1	12	1	31
	Tularemia							
	Lyme disease					1	1	5
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis					1		2
	Legionellosis		2	1	1	18	21	301
	Leptospirosis					2		5
	Rocky mountain spotted fever							


Category	Diseases	Tokyo					Japan	
		24th	25th	26th	27th	Cum 2010	27th	Cum 2010
V	Amebiasis	2	2	1	4	86	12	414
	Viral hepatitis(excluding hepatitis A and E)	2		1	1	24	2	105
	Acute encephalitis(excluding JE and WNE)		2	2		12	1	130
	Cryptosporidiosis			1		2		9
	Creutzfeldt-Jakob disease			1		10	2	82
	Severe invasive streptococcal infections(TSLS)		1	1		11		67
	Acquired immunodeficiency syndrome (AIDS)	9	11	10	12	250	19	752
	Giardiasis					8	1	44
	Meningococcal meningitis							4
	Congenital rubella syndrome							
	Syphilis	5	2	5	2	84	6	299
	Tetanus					2	1	51
	Vancomycin-resistant S. aureus infection							
	Vancomycin-resistant Enterococcus infection			1		9	2	54
	Rubella					10	2	55
	Measles	3	2	3	6	51	16	296
	Novel Flu	Novel influenza (swine-origin influenza A/H1N1)	—	—	—	—	/\	—




Number of patients with the diseases to be reported
by the designated clinics and hospitals





Diseases	2010				
	24th	25th	26th	27th	/sentinel
Respiratory syncytial virus infection	9	9	14	10	0.07
Pharygoconjunctival fever	57	41	56	53	0.36
Group A streptococcal pharyngitis	274	270	201	176	1.19
Infectious gastroenteritis	910	706	643	587	3.97
Chickenpox	275	237	217	173	1.17
Hand, foot, and mouth disease	187	276	340	584	3.95
Erythema infectiosum	91	88	75	94	0.64
Exanthem subitum	95	110	114	96	0.65
Pertussis	34	39	19	17	0.11
Herpangina	281	602	875	1,325	8.95
Mumps	174	167	134	170	1.15
Cold with exanthems by Enterovirus	7	24	26	22	0.15
Mucocutaneous Lymphnode Syndrome	1	1		4	0.03
Influenza	15	7	6	18	0.06
Acute hemorrhagic conjunctivitis	1	1	4	1	0.03
Epidemic keratoconjunctivitis	20	16	13	15	0.38
Bacterial meningitis		2	1		
Aseptic meningitis		1			
Mycoplasma pneumonia	3	8	7	5	0.21
Chlamydial pneumonia (excluding psittacosis)		1		1	



(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	150	148
Influenza	290	284
Ophthalmic	39	39
Specially- designated	25	24

Tokyo Metropolitan Government
Infectious Disease Surveillance Center