

## 3 February 2011 / Number 4

### Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 400 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Institute of Public Health  
Epidemiological Information Office

TEL:81-3-3363-3213 FAX:81-3-5332-7365  
e-mail:[idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)  
URL:[idsc.tokyo-eiken.go.jp/](http://idsc.tokyo-eiken.go.jp/)

---

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		1st	2nd	3rd	4th	Cum 2011	4th	Cum 2011
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	79	59	63	61	262	297	1,465
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Avian influenza H5N1							
III	Cholera							
	Shigellosis		2	1		3		6
	Enterohemorrhagic Escherichia coli infection	1		2	3	6	9	57
	Typhoid fever							
	Paratyphoid fever	1	1		1	3	1	3
IV	Hepatitis E				1	1	3	3
	West Nile fever							
	Hepatitis A				2	2	18	31
	Echinococcosis			1		1		2
	Yellow fever							
	Psittacosis							
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis	1				1		1
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Scrub typhus(Tsutsugamushi disease)	1	1	1		3	1	27
	Dengue fever	2		1	1	4	2	9
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1)							
	Nipah virus infection							
	Japanese spotted fever							
	Japanese encephalitis							
	Epidemic typhus							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Botulism						1	2
	Malaria	1				1	1	2
	Tularemia							
	Lyme disease							
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							
	Legionellosis	1	1		1	3	8	44
	Leptospirosis				1	1	1	1
	Rocky mountain spotted fever							


Category	Diseases	Tokyo					Japan	
		1st	2nd	3rd	4th	Cum 2011	4th	Cum 2011
V	Amebiasis	2	3	5	1	11	17	58
	Viral hepatitis(excluding hepatitis A and E)	1		1	2	4	3	21
	Acute encephalitis(excluding JE and WNE)		2		2	4	6	28
	Cryptosporidiosis							1
	Creutzfeldt-Jakob disease			1		1	1	5
	Severe invasive streptococcal infections(TSLS)	1	1	1	2	5	3	18
	Acquired immunodeficiency syndrome (AIDS)	9	7	8	13	37	12	84
	Giardiasis							3
	Meningococcal meningitis							
	Congenital rubella syndrome							
	Syphilis	1	6	5	3	15	9	46
	Tetanus							3
	Vancomycin-resistant S. aureus infection							
	Vancomycin-resistant Enterococcus infection						1	5
	Rubella						1	7
	Measles	2		4	3	9	10	28
	Novel Flu	Novel influenza (pandemic A/H1N1 2009)					/	-




Number of patients with the diseases to be reported  
by the designated clinics and hospitals




Diseases	2010 - 2011				
	1st	2nd	3rd	4th	/sentinel
Respiratory syncytial virus infection	123	115	116	96	0.37
Pharygoconjunctival fever	127	112	91	84	0.32
Group A streptococcal pharyngitis	340	409	622	602	2.30
Infectious gastroenteritis	1946	2,592	2,813	2,953	11.27
Chickenpox	594	422	367	307	1.17
Hand, foot, and mouth disease	17	19	13	8	0.03
Erythema infectiosum	116	183	198	205	0.78
Exanthem subitum	113	137	172	137	0.52
Pertussis	17	13	14	20	0.08
Herpangina	4	7	4	5	0.02
Mumps	140	117	92	91	0.35
Cold with exanthems by Enterovirus	15	29	23	15	0.06
Mucocutaneous Lymphnode Syndrome	4	5	4	5	0.02
Influenza	1,770	4,141	10,233	13,378	32.08
Acute hemorrhagic conjunctivitis	1	1			
Epidemic keratoconjunctivitis	19	14	13	6	0.16
Bacterial meningitis		2	1	1	0.04
Aseptic meningitis			1		
Mycoplasma pneumonia	11	5	11	9	0.39
Chlamydial pneumonia (excluding psittacosis)		1	1	2	



( Blank means 0. )

# Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	262
Influenza	419	417
Ophthalmic	39	38
Specially- designated	25	23

Tokyo Metropolitan Government  
Infectious Disease Surveillance Center