

---

INFECTIOUS DISEASES WEEKLY REPORT

# TOKYO iDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

## 9 February 2012 / Number 5

### Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Institute of Public Health  
Epidemiological Information Office

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:[idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)

URL:[idsc.tokyo-eiken.go.jp/](http://idsc.tokyo-eiken.go.jp/)

---

## Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				Japan		
		2nd	3rd	4th	5th	Cum 2012	5th	Cum 2012
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	64	90	81	61	341	398	2,124
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
III	Avian influenza H5N1							
	Cholera							1
	Shigellosis		2	2		4	2	14
	Enterohemorrhagic Escherichia coli infection	1				1	15	67
	Typhoid fever							
Paratyphoid fever					1		1	
IV	Hepatitis E	1	1			2	2	14
	West Nile fever							
	Hepatitis A						1	8
	Echinococcosis							1
	Yellow fever							
	Psittacosis							
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							
	Scrub typhus(Tsutsugamushi disease)			1		1	2	49
	Dengue fever	2	1	2		5	1	14
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1)							
	Nipah virus infection							
	Japanese spotted fever							
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
Botulism								
Malaria		1			1		2	
Tularemia								
Lyme disease								
Lyssavirus infection(excluding rabies)								
Rift valley fever								
Melioidosis								
Legionellosis		2			3	9	60	
Leptospirosis	1				1		1	
Rocky mountain spotted fever								







Category	Diseases	Tokyo				Japan		
		2nd	3rd	4th	5th	Cum 2012	5th	Cum 2012
V	Amebiasis	3	2	5	4	15	11	73
	Viral hepatitis(excluding hepatitis A and E)	1		2	2	5	3	16
	Acute encephalitis(excluding JE and WNE)		3	1	1	6	11	60
	Cryptosporidiosis			1		1		1
	Creutzfeldt-Jakob disease	1				1	2	12
	Severe invasive streptococcal infections(TSLS)					1	7	31
	Acquired immunodeficiency syndrome (AIDS)	6	10	13	7	44	11	118
	Giardiasis							1
	Meningococcal meningitis							2
	Congenital rubella syndrome							
	Syphilis	5	6	6	5	25	12	60
	Tetanus						2	10
	Vancomycin-resistant S. aureus infection							
	Vancomycin-resistant Enterococcus infection	1	1		1	3	2	8
	Rubella		2	3	2	7	5	24
Measles	3	1		1	5	10	37	







Number of patients with the diseases to be reported  
by the designated clinics and hospitals







Diseases	Tokyo				
	2nd	3rd	4th	5th	/sentinel
Respiratory syncytial virus infection	73	74	87	68	0.26
Pharyngoconjunctival fever	62	52	54	60	0.23
Group A streptococcal pharyngitis	412	551	612	529	2.00
Infectious gastroenteritis	3027	3,328	2,543	2,062	7.81
Chickenpox	571	384	377	278	1.05
Hand, foot, and mouth disease	34	21	14	12	0.05
Erythema infectiosum	68	70	51	71	0.27
Exanthem subitum	137	138	126	124	0.47
Pertussis	2	2	8	6	0.02
Herpangina	7	4	6	7	0.03
Mumps	69	43	50	39	0.15
Kawasaki disease	4	5	7	4	0.02
Cold with exanthems by Enterovirus	21	18	19	15	0.06
Influenza	1,348	6,146	13,473	18,939	45.20
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	23	18	22	20	0.53
Bacterial meningitis		2	2		
Aseptic meningitis	4	1	3	3	0.12
Mycoplasma pneumonia	27	20	19	19	0.76
Chlamydial pneumonia (excluding psittacosis)					
Influenza-Associated Hospitalizations	12	21	55	90	3.60



( Blank means 0. )

# Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	264
Influenza	419	419
Ophthalmic	39	38
Specially-designated	25	25

Tokyo Metropolitan Government  
**Infectious Disease Surveillance Center**