

## 14 February 2013 / Number 6

### Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Institute of Public Health  
TEL:81-3-3363-3213 FAX:81-3-5332-7365  
e-mail:[idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)  
URL:[idsc.tokyo-eiken.go.jp/](http://idsc.tokyo-eiken.go.jp/)

---

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		3rd	4th	5th	6th	Cum 2013	6th	Cum 2013
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	64	88	80	56	387	315	2,264
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
III	Avian influenza H5N1							
	Cholera							
	Shigellosis	1		2		3	1	11
	Enterohemorrhagic Escherichia coli infection	1	1			3	13	62
	Typhoid fever	1		1		3		6
IV	Paratyphoid fever	1				2		5
	Hepatitis E	2		1		6	2	10
	West Nile fever							
	Hepatitis A		1			1	3	10
	Echinococcosis							1
	Yellow fever							
	Psittacosis					2		
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasانur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever					1		1
	Scrub typhus(Tsutsugamushi disease)						3	29
	Dengue fever					2		10
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1)							
	Nipah virus infection							
	Japanese spotted fever							1
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism							
	Malaria			1		1	1	6
	Tularemia							
	Lyme disease							
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							
	Legionellosis	2	1		3	11	14	89
	Leptospirosis							1
	Rocky mountain spotted fever							


Category	Diseases	Tokyo					Japan	
		3rd	4th	5th	6th	Cum 2013	6th	Cum 2013
V	Amebiasis	2	6	4	4	19	11	96
	Viral hepatitis(excluding hepatitis A and E)	2		3		7	2	16
	Acute encephalitis(excluding JE and WNE)		2	2		7	8	63
	Cryptosporidiosis							
	Creutzfeldt-Jakob disease	1		1		2		13
	Severe invasive streptococcal infections(TSLS)		1	1	1	4	5	26
	Acquired immunodeficiency syndrome (AIDS)	9	6	10	5	44	5	118
	Giardiasis			1	1	2	2	7
	Meningococcal meningitis							
	Congenital rubella syndrome							1
	Syphilis	8	7	3	6	34	10	92
	Tetanus					2		7
	Vancomycin-resistant S. aureus infection							
	Vancomycin-resistant Enterococcus infection					1	4	14
	Rubella	38	43	41	90	260	138	535
	Measles			4	7	12	7	32







Number of patients with the diseases to be reported  
by the designated clinics and hospitals







Diseases	Tokyo					/sentinel
	3rd	4th	5th	6th		
Respiratory syncytial virus infection	57	98	125	79	0.30	
Pharyngoconjunctival fever	61	78	54	66	0.25	
Group A streptococcal pharyngitis	436	570	584	632	2.41	
Infectious gastroenteritis	1,920	2,148	2,101	2,118	8.08	
Chickenpox	209	226	155	230	0.88	
Hand, foot, and mouth disease	30	22	24	22	0.08	
Erythema infectiosum	23	27	30	19	0.07	
Exanthem subitum	125	126	134	125	0.48	
Pertussis	2	1		3	0.01	
Herpangina	4	1	3	3	0.01	
Mumps	39	34	38	41	0.16	
Kawasaki disease	3	7	5	7	0.03	
Cold with exanthems by Enterovirus	8	9	17	20	0.08	
Influenza	9,996	17,259	15,028	8,804	21.27	
Acute hemorrhagic conjunctivitis			1	1		
Epidemic keratoconjunctivitis	16	14	23	11	0.30	
Bacterial meningitis	1	2		1	0.04	
Aseptic meningitis	4	4	2	1	0.04	
Mycoplasma pneumonia	16	12	13	14	0.61	
Chlamydial pneumonia (excluding psittacosis)			2	2	0.09	
Influenza-Associated Hospitalizations	71	101	87	59	2.57	




( Blank means 0. )

# Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	262
Influenza	419	414
Ophthalmic	39	37
Specially-designated	25	23

**Tokyo Metropolitan Government  
Infectious Disease Surveillance Center**