

## 11 July 2013 / Number 27

### Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:[idsc@tokyo-eiken.go.jp](mailto:idsc@tokyo-eiken.go.jp)

URL:[idsc.tokyo-eiken.go.jp/](http://idsc.tokyo-eiken.go.jp/)

---

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		24th	25th	26th	27th	Cum 2013	27th	Cum 2013
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	81	106	110	86	2,049	439	13,132
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Avian influenza H5N1							
※	Avian influenza H7N9							
III	Cholera							1
	Shigellosis	1	1			15	2	71
	Enterohemorrhagic Escherichia coli infection	7	9	9	14	83	141	887
	Typhoid fever					13		30
	Paratyphoid fever					14		32
IV	Hepatitis E	1	2			21	1	68
	West Nile fever							
	Hepatitis A	1	1			13	1	84
	Echinococcosis							9
	Yellow fever							
	Psittacosis					2		6
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever			1		3		3
	Rabies							
	Coccidioidomycosis					3		3
	Monkeypox							
	Severe Fever with Thrombocytopenia Syndrome						1	23
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever					2	1	7
	Scrub typhus(Tsutsugamushi disease)				1	1	6	125
	Dengue fever		3		3	24	4	92
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever						8	45
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							1
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism							
	Malaria					5	1	23
	Tularemia							
	Lyme disease						1	4
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis						1	2
	Legionellosis	2	1	3	3	34	44	408
	Leptospirosis							4
	Rocky mountain spotted fever							

Category	Diseases	Tokyo					Japan	
		24th	25th	26th	27th	Cum 2013	27th	Cum 2013
V	Amebiasis	4	8	3	1	107	14	518
	Viral hepatitis(excluding hepatitis A and E)	1			2	37	2	134
	Acute encephalitis(excluding JE and WNE)	1		3		28	6	215
	Cryptosporidiosis					1		2
	Creutzfeldt-Jakob disease	1		2		9		96
	Severe invasive streptococcal infections(TSLS)		2		1	19	4	115
	Acquired immunodeficiency syndrome (AIDS)	9	13	8	9	246	14	790
	Giardiasis	1				12		36
	Invasive <i>Haemophilus influenzae</i> disease					5	2	47
	Invasive meningococcal disease	1		1		6		11
	Invasive pneumococcal disease	2	5	2		47	6	435
	Meningococcal meningitis							2
	Congenital rubella syndrome			1		3	1	8
	Syphilis	5	7	7	5	197	18	571
	Tetanus					3	2	64
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection			1		6	1	32
	Rubella	115	121	92	92	2,999	363	12,469
	Measles	2	2	1		49	7	157


※ Designated infectious disease




Number of patients with the diseases to be reported  
by the designated clinics and hospitals







Diseases	Tokyo				
	24th	25th	26th	27th	/sentinel
Respiratory syncytial virus infection	14	24	31	33	0.13
Pharyngoconjunctival fever	208	258	263	236	0.90
Group A streptococcal pharyngitis	822	607	556	512	1.95
Infectious gastroenteritis	1,520	1,240	1,111	1,161	4.43
Chickenpox	262	297	312	219	0.84
Hand, foot, and mouth disease	260	536	1,044	1,575	6.01
Erythema infectiosum	37	39	39	32	0.12
Exanthem subitum	187	206	201	193	0.74
Pertussis	1	2	9	1	0.00
Herpangina	80	183	317	548	2.09
Mumps	73	76	65	79	0.30
Kawasaki disease	5	9	3	7	0.03
Cold with exanthems by Enterovirus	26	38	35	30	0.11
Influenza	35	28	43	13	0.03
Acute hemorrhagic conjunctivitis	1		1		
Epidemic keratoconjunctivitis	25	31	17	22	0.58
Bacterial meningitis			1	2	0.08
Aseptic meningitis			1		
Mycoplasma pneumonia	14	13	14	9	0.36
Chlamydial pneumonia (excluding psittacosis)	1	2		2	0.08
Influenza-Associated Hospitalizations	2			1	0.04




( Blank means 0. )

# Disease Trend Graph (weekly reported cases per sentinel in comparison)









**Number of sentinel facilities for weekly reporting**

Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	262
Influenza	419	414
Ophthalmic	39	38
Specially-designated	25	25

**Tokyo Metropolitan Government  
Infectious Disease Surveillance Center**