

23 January 2014 / Number 3

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

1st Week is early January and 52nd Week is end of December.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:idsc@tokyo-eiken.go.jp
URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		52nd	1st	2nd	3rd	Cum 2014	3rd	Cum 2014
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	67	4	73	40	117	263	750
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Avian influenza H5N1							
※	Avian influenza H7N9							
III	Cholera							
	Shigellosis	2		2		2		4
	Enterohemorrhagic Escherichia coli infection						11	20
	Typhoid fever				1	1	2	2
	Paratyphoid fever			1		1		
IV	Hepatitis E			1		1		2
	West Nile fever							
	Hepatitis A						4	6
	Echinococcosis							
	Yellow fever							
	Psittacosis			1		1		1
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Severe Fever with Thrombocytopenia Syndrome							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							
	Scrub typhus(Tsutsugamushi disease)			1		1	2	13
	Dengue fever	1			1	1	2	5
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever							
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism							
	Malaria						2	5
	Tularemia							
	Lyme disease							
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							
	Legionellosis			8	1	9	14	54
	Leptospirosis						1	2
	Rocky mountain spotted fever							

Category	Diseases	Tokyo					Japan	
		52nd	1st	2nd	3rd	Cum 2014	3rd	Cum 2014
V	Amebiasis	4		2	2	4	13	30
	Viral hepatitis(excluding hepatitis A and E)			2	2	4	3	9
	Acute encephalitis(excluding JE and WNE)			1		1	6	20
	Cryptosporidiosis			1		1	1	2
	Creutzfeldt-Jakob disease						1	6
	Severe invasive streptococcal infections(TSLS)	1			3	3	4	13
	Acquired immunodeficiency syndrome (AIDS)	11		12	16	28	15	37
	Giardiasis							
	Invasive <i>Haemophilus influenzae</i> disease	1		3		3	1	16
	Invasive meningococcal disease			1		1	1	3
	Invasive pneumococcal disease	6		14	3	17	27	116
	Congenital rubella syndrome			1		1		4
	Syphilis	5		7	8	15	19	41
	Tetanus			2		2	1	6
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection	1					1	2
	Rubella	5		3	2	5	3	17
	Measles				1	1	5	25







※ Designated infectious disease







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo					/sentinel
	52nd	1st	2nd	3rd		
Respiratory syncytial virus infection	148	26	123	85	0.32	
Pharyngoconjunctival fever	156	30	111	58	0.22	
Group A streptococcal pharyngitis	483	67	479	404	1.54	
Infectious gastroenteritis	5,429	493	3,149	2,936	11.21	
Chickenpox	423	99	442	201	0.77	
Hand, foot, and mouth disease	31	2	21	13	0.05	
Erythema infectiosum	52	11	94	108	0.41	
Exanthem subitum	116	13	125	149	0.57	
Pertussis	4		5	2	0.01	
Herpangina	8	1	4	2	0.01	
Mumps	37	9	62	34	0.13	
Kawasaki disease	5	1		1	0.00	
Cold with exanthems by Enterovirus	12	2	10	10	0.04	
Influenza	618	280	2,098	4,637	11.20	
Acute hemorrhagic conjunctivitis						
Epidemic keratoconjunctivitis	14	3	27	12	0.32	
Bacterial meningitis	1		1	1	0.04	
Aseptic meningitis	2	1	4	2	0.08	
Mycoplasma pneumonia	13		5	4	0.16	
Chlamydial pneumonia (excluding psittacosis)	5			1	0.04	
Infectious gastroenteritis (only by Rotavirus)	3	2	2	1	0.04	
Influenza-Associated Hospitalizations	5	8	31	42	1.68	





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	262
Influenza	419	414
Ophthalmic	39	37
Specially- designated	25	25

Tokyo Metropolitan Government
Infectious Disease Surveillance Center