

7 April 2016 / Number 13

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:www@tokyo-eiken.go.jp

URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan		
		10th	11th	12th	13th	Cum 2016	13th	Cum 2016	
I	Ebola hemorrhagic fever								
	Crimean-Congo hemorrhagic fever								
	Smallpox								
	South American hemorrhagic fever								
	Plague								
	Marburg disease								
	Lassa fever								
II	Acute poliomyelitis								
	Tuberculosis	67	85	50	57	847	359	5,386	
	Diphtheria								
	Severe Acute Respiratory Syndrome(SARS)								
	Middle East Respiratory Syndrome (MERS)								
	Avian influenza H5N1								
	Avian influenza H7N9								
III	Cholera								
	Shigellosis	1		2		10	2	37	
	Enterohemorrhagic Escherichia coli infection	3			1	17	7	152	
	Typhoid fever			2		7		11	
	Paratyphoid fever					2		3	
IV	Hepatitis E	3				14	8	106	
	West Nile fever								
	Hepatitis A	4	4	2	5	23	8	97	
	Echinococcosis							3	
	Yellow fever								
	Psittacosis								
	Omsk hemorrhagic fever								
	Relapsing fever							1	
	Kyasanur forest disease								
	Q fever								
	Rabies								
	Coccidioidomycosis								
	Monkeypox								
	Zika virus infection							4	
	Severe Fever with Thrombocytopenia Syndrome							2	5
	Hemorrhagic fever with renal syndrome								
	Western equine encephalitis								
	Tick-borne encephalitis								
	Anthrax								
	Chikungunya fever				1	2		1	2
	Scrub typhus(Tsutsugamushi disease)							1	38
	Dengue fever	1		1	6	21		12	88
	Eastern equine encephalitis								
	Avian influenza (excluding H5N1 and H7N9)								
	Nipah virus infection								
	Japanese spotted fever								3
	Japanese encephalitis								
	Hantavirus pulmonary syndrome								
	Herpes B virus infection								
	Glanders								
	Brucellosis								
	Venezuelan equine encephalitis								
Hendra virus infection									
Epidemic typhus									
Botulism									
Malaria		1		1	3		1	8	
Tularemia									
Lyme disease									
Lyssavirus infection(excluding rabies)									
Rift valley fever									
Melioidosis									
Legionellosis	1	5		2	25		12	258	
Leptospirosis								3	
Rocky mountain spotted fever									







Category	Diseases	Tokyo					Japan	
		10th	11th	12th	13th	Cum 2016	13th	Cum 2016
V	Amebiasis	5	5	8	4	57	10	292
	Viral hepatitis(excluding hepatitis A and E)	1			2	14	3	56
	CRE infection	3	2	1	2	49	14	328
	Acute encephalitis(excluding JE and WNE)	2	1	1	2	45	11	295
	Cryptosporidiosis						1	3
	Creutzfeldt-Jakob disease		1			6	1	48
	Severe invasive streptococcal infections(TSLS)			4	1	23	6	142
	Acquired immunodeficiency syndrome (AIDS)	14	9	8	10	119	13	345
	Giardiasis	1	1		1	5	4	17
	Invasive <i>Haemophilus influenzae</i> disease	1	2	1	2	12	8	90
	Invasive meningococcal disease							15
	Invasive pneumococcal disease	10	9	7	9	108	49	801
	Varicella (limited to hospitalized case)			1	3	12	4	59
	Congenital rubella syndrome							
	Syphilis	47	21	20	36	397	55	883
	Disseminated cryptococcosis	2	1	1		6	3	30
	Tetanus						2	17
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection						2	11
	Rubella		1			4		22
Measles				1	1	1	5	
MDRA infection						1	10	







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	10th	11th	12th	13th	/sentinel
Respiratory syncytial virus infection	25	25	25	13	0.05
Pharyngoconjunctival fever	45	47	31	34	0.13
Group A streptococcal pharyngitis	751	767	589	506	1.95
Infectious gastroenteritis	1,694	1,591	1,303	1,329	5.11
Chickenpox	80	70	86	92	0.35
Hand, foot, and mouth disease	6	5	18	6	0.02
Erythema infectiosum	48	45	35	29	0.11
Exanthem subitum	125	124	91	107	0.41
Pertussis	4	1		5	0.02
Herpangina	4	5	4	1	
Mumps	127	121	111	112	0.43
Kawasaki disease	3	4	1	3	0.01
Cold with exanthems	11	15	5	15	0.06
Influenza	8,065	6,138	3,860	3,087	7.46
Acute hemorrhagic conjunctivitis		1	2		
Epidemic keratoconjunctivitis	17	15	14	14	0.36
Bacterial meningitis			1	1	0.04
Aseptic meningitis		2			
Mycoplasma pneumonia	10	13	5	10	0.40
Chlamydial pneumonia (excluding psittacosis)	3	1			
Infectious gastroenteritis (only by Rotavirus)	4	6	5	1	0.04
Influenza-Associated Hospitalizations	31	33	22	8	0.32





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	260
Influenza	419	414
Ophthalmic	39	39
Specially-designated	25	25