

20 April 2017 / Number 15

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:www@tokyo-eiken.go.jp

URL:idsc.tokyo-eiken.go.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		12th	13th	14th	15th	Cum 2017	15th	Cum 2017
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	55	58	64	61	932	357	6,054
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera							
	Shigellosis		1	1	1	13	3	46
	Enterohemorrhagic Escherichia coli infection	2	6	2	4	27	30	238
	Typhoid fever					1	1	8
	Paratyphoid fever		1			2		4
IV	Hepatitis E	1		1		17	7	108
	West Nile fever							
	Hepatitis A		1	1	2	28	5	74
	Echinococcosis						1	10
	Yellow fever							
	Psittacosis							4
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Zika virus infection							1
	Severe Fever with Thrombocytopenia Syndrome							2
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							1
	Scrub typhus(Tsutsugamushi disease)					2	1	40
	Dengue fever	1	1	3	1	16	1	61
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever						2	7
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							1
	Venezuelan equine encephalitis							
Hendra virus infection								
Epidemic typhus								
Botulism					1		1	
Malaria		1			4		10	
Tularemia								
Lyme disease							1	
Lyssavirus infection(excluding rabies)								
Rift valley fever								
Melioidosis								
Legionellosis	2	4	2	1	35	14	335	
Leptospirosis					1		2	
Rocky mountain spotted fever								







Category	Diseases	Tokyo					Japan	
		12th	13th	14th	15th	Cum 2017	15th	Cum 2017
V	Amebiasis	3	6	2	5	67	9	306
	Viral hepatitis(excluding hepatitis A and E)	5		3		18	2	79
	CRE infection	2	6	4	5	53	10	396
	Acute encephalitis(excluding JE and WNE)	1	1		1	22	8	226
	Cryptosporidiosis							1
	Creutzfeldt-Jakob disease					7	3	50
	Severe invasive streptococcal infections(TSLS)	1	2	2	3	25	12	179
	Acquired immunodeficiency syndrome (AIDS)	4	8	11	10	131	18	364
	Giardiasis	1		1	1	8	2	21
	Invasive <i>Haemophilus influenzae</i> disease		3		1	14	6	116
	Invasive meningococcal disease		1			1		8
	Invasive pneumococcal disease	15	16	8	10	152	51	1,132
	Varicella (limited to hospitalized case)	1	1	2		11	2	67
	Congenital rubella syndrome							
	Syphilis	25	23	31	34	421	63	1,307
	Disseminated cryptococcosis				2	7	2	44
	Tetanus					1	1	15
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection					3	1	26
	Rubella	1			1	3	1	20
Measles	3	4		3	16	10	139	
MDRA infection							9	







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	12th	13th	14th	15th	/sentinel
Respiratory syncytial virus infection	26	34	27	62	0.24
Pharyngoconjunctival fever	52	56	60	56	0.22
Group A streptococcal pharyngitis	415	494	456	559	2.15
Infectious gastroenteritis	1,758	1,821	1,882	2,093	8.05
Chickenpox	75	108	83	89	0.34
Hand, foot, and mouth disease	9	23	20	32	0.12
Erythema infectiosum	21	25	30	27	0.10
Exanthem subitum	99	119	135	109	0.42
Pertussis		2	2	1	
Herpangina	1	1	3	5	0.02
Mumps	59	66	73	54	0.21
Kawasaki disease	3	9	1	2	0.01
Cold with exanthems	13	20	13	9	0.03
Influenza	3,008	2,635	2,114	1,716	4.17
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	15	11	15	15	0.38
Bacterial meningitis	1	1	1		
Aseptic meningitis	2	2		1	0.04
Mycoplasma pneumonia	5	6	2	1	0.04
Chlamydial pneumonia (excluding psittacosis)	1	1	1	3	0.13
Infectious gastroenteritis (only by Rotavirus)	34	13	16	10	0.42
Influenza-Associated Hospitalizations	16	14	9	6	0.25





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	260
Influenza	419	412
Ophthalmic	39	39
Specially-designated	25	24