

23 March 2018 / Number 11

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which
are shown at page one. Health centers electronically report the individual cases
to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week
are reported to health centers in Tokyo. And they electronically report the
numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have
about 500 sentinel clinics and hospitals in Tokyo.

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		8th	9th	10th	11th	Cum 2018	11th	Cum 2018
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	64	77	71	75	649	343	4,124
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera							2
	Shigellosis	2		1	1	13	2	42
	Enterohemorrhagic Escherichia coli infection	2	1		1	11	15	130
	Typhoid fever				1	3	2	13
	Paratyphoid fever				1	3		5
IV	Hepatitis E	2	2	2	2	16	10	66
	West Nile fever							
	Hepatitis A	9	6	7	13	55	18	112
	Echinococcosis							1
	Yellow fever							
	Psittacosis							
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							1
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome							
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							
	Scrub typhus(Tsutsugamushi disease)	1				4		38
	Dengue fever	1	1	1	1	12	2	23
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever							1
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							1
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism					1		1
	Malaria							9
	Tularemia							
	Lyme disease							
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							
	Legionellosis	2	2	1	3	21	14	218
	Leptospirosis							
	Rocky mountain spotted fever							







Category	Diseases	Tokyo					Japan	
		8th	9th	10th	11th	Cum 2018	11th	Cum 2018
V	Amebiasis	2	4	2	4	30	8	152
	Viral hepatitis(excluding hepatitis A and E)		1		3	7		34
	CRE infection	1	2	2	3	25	22	320
	Acute encephalitis(excluding JE and WNE)		1	1	1	22	9	231
	Cryptosporidiosis				1	1	1	5
	Creutzfeldt-Jakob disease				1	4	1	45
	Severe invasive streptococcal infections(TSLS)	2	4		3	27	4	191
	Acquired immunodeficiency syndrome (AIDS)	12	6	6	9	77	15	244
	Giardiasis			1			4	15
	Invasive <i>Haemophilus influenzae</i> disease			1			4	3 102
	Invasive meningococcal disease	1				2		8
	Invasive pneumococcal disease	11	10	3	4	111	43	890
	Varicella (limited to hospitalized case)	2			1	7	4	65
	Congenital rubella syndrome							
	Syphilis	24	35	29	30	316	79	1,166
	Disseminated cryptococcosis	1		1		6	2	29
	Tetanus						3	10
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection				1	1	1	10
	Pertussis	6	5	8	4	63	54	626
	Rubella						1	6
	Measles				1	1	1	11
	MDRA infection							3







Number of patients with the diseases to be reported
by the designated clinics and hospitals






Diseases	Tokyo				
	8th	9th	10th	11th	/sentinel
Respiratory syncytial virus infection	55	75	57	100	0.38
Pharyngoconjunctival fever	40	31	39	48	0.18
Group A streptococcal pharyngitis	677	685	628	684	2.62
Infectious gastroenteritis	1,290	1,321	1,235	1,369	5.25
Chickenpox	53	78	84	80	0.31
Hand, foot, and mouth disease	8	6	12	6	0.02
Erythema infectiosum	18	18	20	29	0.11
Exanthem subitum	93	100	102	100	0.38
Herpangina	3	6		3	0.01
Mumps	20	17	20	26	0.10
Kawasaki disease	9	5	6	4	0.02
Cold with exanthems	10	8	7	13	0.05
Influenza	6,963	4,988	3,272	2,185	5.28
Acute hemorrhagic conjunctivitis			1	1	
Epidemic keratoconjunctivitis	12	10	6	8	0.21
Bacterial meningitis	1				
Aseptic meningitis	1			1	0.04
Mycoplasma pneumonia	3		3	3	0.12
Chlamydial pneumonia (excluding psittacosis)			5	1	0.04
Infectious gastroenteritis (only by Rotavirus)	1	5	6	10	0.40
Influenza-Associated Hospitalizations	69	49	36	27	1.08





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	261
Influenza	419	414
Ophthalmic	39	38
Specially-designated	25	25