

## 31 October 2019 / Number 43

### Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report  
All physicians must report to health centers the incidence of the diseases which  
are shown at page one. Health centers electronically report the individual cases  
to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels  
The numbers of patients who visit the sentinel clinics or hospitals during a week  
are reported to health centers in Tokyo. And they electronically report the  
numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have  
about 500 sentinel clinics and hospitals in Tokyo.

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		40th	41st	42nd	43rd	Cum 2019	43rd	Cum 2019
I	Ebola hemorrhagic fever				4			
	Crimean-Congo hemorrhagic fever				4			
	Smallpox				4			
	South American hemorrhagic fever				4			
	Plague				4			
	Marburg disease				4			
	Lassa fever				4			
II	Acute poliomyelitis				4			
	Tuberculosis	60	54	52	44	2,591	253	17,474
	Diphtheria				4			
	Severe Acute Respiratory Syndrome(SARS)				4			
	Middle East Respiratory Syndrome (MERS)				4			
	Avian influenza H5N1				4			
	Avian influenza H7N9				4			
III	Cholera				4	2		4
	Shigellosis		1		1	17	2	82
	Enterohemorrhagic Escherichia coli infection	15	7	12	8	350	70	3,261
	Typhoid fever				4	3	1	34
	Paratyphoid fever				4	3		14
IV	Hepatitis E	2	1	3	3	110	9	413
	West Nile fever				4			
	Hepatitis A	1	3		4	129	7	383
	Echinococcosis				4			16
	Yellow fever				4			
	Psittacosis				4	3		13
	Omsk hemorrhagic fever				4			
	Relapsing fever				4			5
	Kyasanur forest disease				4			
	Q fever				4			
	Rabies				4			
	Coccidioidomycosis				4			2
	Monkeypox				4			
	Zika virus infection				4			1
	Severe Fever with Thrombocytopenia Syndrome				4	1	3	96
	Hemorrhagic fever with renal syndrome				4			
	Western equine encephalitis				4			
	Tick-borne encephalitis				4			
	Anthrax				4			
	Chikungunya fever		1	1	4	8	1	43
	Scrub typhus(Tsutsugamushi disease)	1			4	1	6	95
	Dengue fever	9	8		4	109	8	400
	Eastern equine encephalitis				4			
	Avian influenza (excluding H5N1 and H7N9)				4			
	Nipah virus infection				4			
	Japanese spotted fever				4		12	266
	Japanese encephalitis				4		1	6
	Hantavirus pulmonary syndrome				4			
	Herpes B virus infection				4			
	Glanders				4			
	Brucellosis				4	1		2
	Venezuelan equine encephalitis				4			
	Hendra virus infection				4			
	Epidemic typhus				4			
	Botulism				4			1
	Malaria	2			4	16	1	47
	Tularemia				4			
	Lyme disease				4	1	1	14
	Lyssavirous infection(excluding rabies)				4			
	Rift valley fever				4			
	Melioidosis				4			2
	Legionellosis	5	2	1	4	158	39	1,957
	Leptospirosis			2	4	8		26
	Rocky mountain spotted fever				4			







Category	Diseases	Tokyo					Japan	
		40th	41st	42nd	43rd	Cum 2019	43rd	Cum 2019
V	Amebiasis	2	3		4	135	5	712
	Viral hepatitis(excluding hepatitis A and E)	1		1	2	79	4	275
	CRE infection	8	6	7	4	179	36	1,831
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)			1		5	1	63
	Acute encephalitis(excluding JE and WNE)		2	1	3	69	12	715
	Cryptosporidiosis					4		19
	Creutzfeldt-Jakob disease			1	1	16	3	157
	Severe invasive streptococcal infections(TSLS)	3	2		3	102	8	742
	Acquired immunodeficiency syndrome (AIDS)	6	7	4	9	318	12	974
	Giardiasis				2	7	1	40
	Invasive <i>Haemophilus influenzae</i> disease	2		3	1	71	5	462
	Invasive meningococcal disease					4		41
	Invasive pneumococcal disease	1	7	1	3	296	26	2,571
	Varicella (limited to hospitalized case)		3	1	2	61	5	390
	Congenital rubella syndrome					1		3
	Syphilis	41	31	33	32	1,431	59	5,467
	Disseminated cryptococcosis		1			10	4	121
	Tetanus					6	2	105
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection					6		60
	Pertussis	22	28	18	22	1,172	245	14,357
	Rubella	3	2	2	2	846	7	2,245
	Measles	7		1		120	2	725
	MDRA infection					2		24







Number of patients with the diseases to be reported  
by the designated clinics and hospitals






Diseases	Tokyo				
	40th	41st	42nd	43rd	/sentinel
Respiratory syncytial virus infection	291	215	155	87	0.33
Pharyngoconjunctival fever	72	65	57	73	0.28
Group A streptococcal pharyngitis	465	423	419	490	1.88
Infectious gastroenteritis	908	809	765	884	3.40
Chickenpox	92	63	81	83	0.32
Hand, foot, and mouth disease	695	600	509	453	1.74
Erythema infectiosum	48	40	31	58	0.22
Exanthem subitum	110	92	109	97	0.37
Herpangina	226	183	109	75	0.29
Mumps	26	18	20	25	0.10
Kawasaki disease	2		1	5	0.02
Cold with exanthems	17	10	17	14	0.05
Influenza	435	411	243	284	0.69
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	12	16	11	18	0.49
Bacterial meningitis	1		3		
Aseptic meningitis	1	1	1	2	0.08
Mycoplasma pneumonia	12	5	4	18	0.72
Chlamydial pneumonia (excluding psittacosis)				1	0.04
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations	4	8	3	3	0.12





( Blank means 0. )

### Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	260
Influenza	419	414
Ophthalmic	39	37
Specially- designated	25	25