

5 March 2020 / Number 9 (2/24 ~ 3/1)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which
are shown at page one. Health centers electronically report the individual cases
to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week
are reported to health centers in Tokyo. And they electronically report the
numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have
about 500 sentinel clinics and hospitals in Tokyo.

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		6th	7th	8th	9th	Cum 2020	9th	Cum 2020
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
II	Lassa fever							
	Acute poliomyelitis							
	Tuberculosis	56	34	58	42	420	259	2,776
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
※	Avian influenza H5N1							
	Avian influenza H7N9							
	Novel Coronavirus 2019 infection	11	20	18	11	60	90	734
	Cholera							
	Shigellosis	2				7	1	17
	Enterohemorrhagic Escherichia coli infection	2		4	5	22	15	194
III	Typhoid fever	1				1	1	7
	Paratyphoid fever					1		1
	Hepatitis E	3	7		8	29	13	98
	West Nile fever							
	Hepatitis A		4	1		13	2	35
	Echinococcosis							4
IV	Yellow fever							
	Psittacosis							2
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							
IV	Rabies							
	Coccidioidomycosis	1				1		1
	Monkeypox							
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome							4
	Hemorrhagic fever with renal syndrome							
IV	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							2
	Scrub typhus(Tsutsugamushi disease)					4		56
	Dengue fever		1	1	7	2		28
IV	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever							6
	Japanese encephalitis							1
	Hantavirus pulmonary syndrome							
IV	Herpes B virus infection							
	Glanders							
	Brucellosis							1
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
IV	Botulism							
	Malaria	1				3		7
	Tularemia							
	Lyme disease							1
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
IV	Melioidosis							
	Legionellosis		1	1	4	15	28	248
	Leptospirosis							1
	Rocky mountain spotted fever							

Category	Diseases	Tokyo					Japan	
		6th	7th	8th	9th	Cum 2020	9th	Cum 2020
V	Amebiasis	2	3	2	1	24	7	90
	Viral hepatitis(excluding hepatitis A and E)		2	2	2	8	6	38
	CRE infection		4	5	3	20	17	247
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)	1				1		5
	Acute encephalitis(excluding JE and WNE)			1		13	6	188
	Cryptosporidiosis							1
	Creutzfeldt-Jakob disease	1	1			2		17
	Severe invasive streptococcal infections(TSLS)	3	2	3	2	21	11	169
	Acquired immunodeficiency syndrome (AIDS)	9	4	9	2	53	5	154
	Giardiasis					1		5
	Invasive <i>Haemophilus influenzae</i> disease		2	1		10	1	96
	Invasive meningoococcal disease					1		8
	Invasive pneumococcal disease	5	7	3	2	57	28	517
	Varicella (limited to hospitalized case)	1	2	2	1	14	5	77
	Congenital rubella syndrome							1
	Syphilis	32	20	31	26	238	45	861
	Disseminated cryptococcosis					1	3	19
	Tetanus					1	2	11
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection				1		1	21
	Pertussis	21	20	12	10	132	103	1,377
	Rubella	3	3	1	1	14	5	56
	Measles				1	2	1	6
	MDRA infection							2







※ Designated infectious disease







Number of patients with the diseases to be reported by the designated clinics and hospitals






Diseases	Tokyo					/sentinel
	6th	7th	8th	9th		
Respiratory syncytial virus infection	49	54	46	55	0.21	
Pharyngoconjunctival fever	68	69	74	51	0.20	
Group A streptococcal pharyngitis	947	893	997	738	2.84	
Infectious gastroenteritis	2,117	1,863	1,802	1,284	4.94	
Chickenpox	113	131	104	119	0.46	
Hand, foot, and mouth disease	24	24	15	12	0.05	
Erythema infectiosum	22	26	14	12	0.05	
Exanthem subitum	82	78	101	59	0.23	
Herpangina	13	5	6	9	0.03	
Mumps	18	11	13	12	0.05	
Kawasaki disease	2	2	2	3	0.01	
Cold with exanths	6	11	15	6	0.02	
Influenza	2,830	2,480	2,085	1,484	3.58	
Acute hemorrhagic conjunctivitis				1		
Epidemic keratoconjunctivitis	17	8	3	4	0.11	
Bacterial meningitis		1	2			
Aseptic meningitis			3	2	0.08	
Mycoplasma pneumonia	5	6	7	11	0.44	
Chlamydial pneumonia (excluding psittacosis)			3	3	1	0.04
Infectious gastroenteritis (only by Rotavirus)						
Influenza-Associated Hospitalizations	16	11	7	11	0.44	





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	260
Influenza	419	414
Ophthalmic	39	38
Specially-designated	25	25