

27 May 2021 / Number 20
(5/17 ~ 5/23)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases
which are shown at page one. Health centers electronically report the
individual cases to Tokyo Metropolitan Infectious Disease Surveillance
Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a
week are reported to health centers in Tokyo. And they electronically
report the numbers to Tokyo Metropolitan Infectious Disease Surveillance
Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		17th	18th	19th	20th	Cum 2021	20th	Cum 2021
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	42	26	29	55	824	232	5,735
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera							
	Shigellosis					2		4
	Enterohemorrhagic Escherichia coli infection	2	2	2	8	45	49	424
	Typhoid fever							
	Paratyphoid fever							
IV	Hepatitis E	4	1	4	4	62	11	223
	West Nile fever							
	Hepatitis A				1	9	2	33
	Echinococcosis							12
	Yellow fever							
	Psittacosis							3
	Omsk hemorrhagic fever							
	Relapsing fever							2
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome						3	34
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							
	Scrub typhus(Tsutsugamushi disease)					2	5	96
	Dengue fever							
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever					1	10	72
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism						1	
	Malaria						4	
	Tularemia							
	Lyme disease						5	
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							
	Legionellosis	1			2	33	20	406
	Leptospirosis					1		2
	Rocky mountain spotted fever							







Category	Diseases	Tokyo					Japan	
		17th	18th	19th	20th	Cum 2021	20th	Cum 2021
V	Amebiasis		1	3	1	31	7	193
	Viral hepatitis(excluding hepatitis A and E)	2		2	1	25	2	77
	CRE infection	2	3	6	2	70	22	641
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)				1	2		7
	Acute encephalitis(excluding JE and WNE)					7	6	120
	Cryptosporidiosis							2
	Creutzfeldt-Jakob disease		1			7	1	66
	Severe invasive streptococcal infections(TSLS)	3	1	1	2	27	3	247
	Acquired immunodeficiency syndrome (AIDS)	6	1	5	12	140	13	366
	Giardiasis			1		5	1	16
	Invasive <i>Haemophilus influenzae</i> disease			1	1	9	5	84
	Invasive meningococcal disease							
	Invasive pneumococcal disease	5	7	4	1	46	24	554
	Varicella (limited to hospitalized case)	1				12	3	105
	Congenital rubella syndrome							1
	Syphilis	43	34	55	42	805	95	2,365
	Disseminated cryptococcosis		1		2	6	4	52
	Tetanus					1	3	29
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection					1	1	40
	Pertussis	2		2	1	31	11	232
	Rubella					1		6
	Measles							1
	MDRA infection							







Number of patients with the diseases to be reported
by the designated clinics and hospitals






Diseases	Tokyo				
	17th	18th	19th	20th	/sentinel
Respiratory syncytial virus infection	81	58	95	219	0.85
Pharyngoconjunctival fever	27	22	49	41	0.16
Group A streptococcal pharyngitis	91	52	77	88	0.34
Infectious gastroenteritis	1,032	537	1,176	1,127	4.39
Chickenpox	37	27	28	34	0.13
Hand, foot, and mouth disease	6	5	16	19	0.07
Erythema infectiosum	4	6	8	7	0.03
Exanthem subitum	145	85	122	148	0.58
Herpangina	3	3	6	5	0.02
Mumps	13	11	18	16	0.06
Kawasaki disease	1	2	4	2	0.01
Cold with exanthems	10	6	6	10	0.04
Influenza				1	0.00
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	5	1	7	4	0.11
Bacterial meningitis			2		0.08
Aseptic meningitis				1	
Mycoplasma pneumonia			1		
Chlamydial pneumonia (excluding psittacosis)			1		
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations					





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	257
Influenza	419	403
Ophthalmic	39	38
Specially- designated	25	25