

## 16 June 2022 / Number 23 ( 6/6 ~ 6/12 )

### Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report  
All physicians must report to health centers the incidence of the diseases  
which are shown at page one. Health centers electronically report the  
individual cases to Tokyo Metropolitan Infectious Disease Surveillance  
Center.

The infectious diseases required to be reported by the sentinels  
The numbers of patients who visit the sentinel clinics or hospitals during a  
week are reported to health centers in Tokyo. And they electronically  
report the numbers to Tokyo Metropolitan Infectious Disease Surveillance  
Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		20th	21st	22nd	23rd	Cum 2022	23rd	Cum 2022
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	44	38	42	39	881	237	6,303
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera							
	Shigellosis							12
	Enterohemorrhagic Escherichia coli infection	10	13	11	9	83	62	665
	Typhoid fever						1	7
	Paratyphoid fever			1			1	2
IV	Hepatitis E	2	6	2	3	67	11	203
	West Nile fever							
	Hepatitis A				1	2	3	37
	Echinococcosis		1			3		11
	Yellow fever							
	Psittacosis					1		4
	Omsk hemorrhagic fever							
	Relapsing fever							5
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome						5	51
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							
	Scrub typhus(Tsutsugamushi disease)				1	3	4	87
	Dengue fever	1				3		13
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever						8	86
	Japanese encephalitis							1
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism					1		1
	Malaria						1	6
	Tularemia							
	Lyme disease							2
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							1
	Legionellosis	4	8	3	1	44	46	664
	Leptospirosis			1		1		2
	Rocky mountain spotted fever							







Category	Diseases	Tokyo					Japan	
		20th	21st	22nd	23rd	Cum 2022	23rd	Cum 2022
V	Amebiasis	2	3	1		61	8	220
	Viral hepatitis(excluding hepatitis A and E)	1	1		3	20	2	88
	CRE infection	2	4	2	8	85	21	669
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)							9
	Acute encephalitis(excluding JE and WNE)	1	1			6	6	124
	Cryptosporidiosis					1		3
	Creutzfeldt-Jakob disease		1			10	2	78
	Severe invasive streptococcal infections(TSLS)		3	2	3	59	10	333
	Acquired immunodeficiency syndrome (AIDS)	7	4	5	4	121	7	382
	Giardiasis			2		6		15
	Invasive <i>Haemophilus influenzae</i> disease			1		6	1	82
	Invasive meningococcal disease							4
	Invasive pneumococcal disease	3	3	2	2	67	16	572
	Varicella (limited to hospitalized case)		1	1	2	21	4	144
	Congenital rubella syndrome							
	Syphilis	85	66	72	56	1,407	159	4,749
	Disseminated cryptococcosis					7	2	66
	Tetanus		1			1	4	33
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection		1			3	2	69
	Pertussis	1	3			18	4	242
	Rubella							2
	Measles							1
	MDRA infection			1		1		2







Number of patients with the diseases to be reported  
by the designated clinics and hospitals






Diseases	Tokyo				
	20th	21st	22nd	23rd	/sentinel
Respiratory syncytial virus infection	11	24	25	45	0.18
Pharyngoconjunctival fever	34	42	74	100	0.39
Group A streptococcal pharyngitis	35	41	71	50	0.19
Infectious gastroenteritis	1,599	1,617	1,611	1,778	6.92
Chickenpox	14	21	16	18	0.07
Hand, foot, and mouth disease	23	50	51	66	0.26
Erythema infectiosum	1	5	4	3	0.01
Exanthem subitum	142	116	105	106	0.41
Herpangina	2	8	6	18	0.07
Mumps	20	10	12	12	0.05
Kawasaki disease	1		1	1	0.00
Cold with exanthems	5	6	5	12	0.05
Influenza	1			3	0.01
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	6	5	5	6	0.16
Bacterial meningitis			1		
Aseptic meningitis					
Mycoplasma pneumonia					
Chlamydial pneumonia (excluding psittacosis)	1		1		
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations					





( Blank means 0. )

### Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	257
Influenza	419	410
Ophthalmic	39	37
Specially- designated	25	25