

6 October 2022 / Number 39

(9/26 ~ 10/2)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases
which are shown at page one. Health centers electronically report the
individual cases to Tokyo Metropolitan Infectious Disease Surveillance
Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a
week are reported to health centers in Tokyo. And they electronically
report the numbers to Tokyo Metropolitan Infectious Disease Surveillance
Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		36th	37th	38th	39th	Cum 2022	39th	Cum 2022
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	38	39	29	40	1,514	226	10,865
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera						1	1
	Shigellosis						2	14
	Enterohemorrhagic Escherichia coli infection	17	10	8	10	283	113	2,623
	Typhoid fever						5	11
	Paratyphoid fever						2	7
IV	Hepatitis E	3	3	1	5	102	9	331
	West Nile fever							
	Hepatitis A				1	5	2	59
	Echinococcosis					3		17
	Yellow fever							
	Psittacosis			1		2		9
	Omsk hemorrhagic fever							
	Relapsing fever							13
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							1
	Monkeypox			1	1	4	1	5
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome		1			1	3	100
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever					1	1	5
	Scrub typhus(Tsutsugamushi disease)					3	3	101
	Dengue fever	1		2	1	11	2	56
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever						24	305
	Japanese encephalitis							1
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism					1		1
	Malaria				2	6	2	20
	Tularemia							
	Lyme disease					2	2	13
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							2
	Legionellosis	1	8	3	4	85	51	1,616
	Leptospirosis	1		1	1	4	4	24
	Rocky mountain spotted fever							







Category	Diseases	Tokyo					Japan	
		36th	37th	38th	39th	Cum 2022	39th	Cum 2022
V	Amebiasis		2	1	2	96	14	405
	Viral hepatitis(excluding hepatitis A and E)					27	1	152
	CRE infection	3	5	2	3	151	36	1,355
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)				1	1		20
	Acute encephalitis(excluding JE and WNE)	2		1	1	25	6	284
	Cryptosporidiosis					2		6
	Creutzfeldt-Jakob disease	1				14	1	129
	Severe invasive streptococcal infections(TSLS)		2			79	5	546
	Acquired immunodeficiency syndrome (AIDS)	2	5	5	7	205	18	646
	Giardiasis					11	1	29
	Invasive <i>Haemophilus influenzae</i> disease					12	1	128
	Invasive meningococcal disease							5
	Invasive pneumococcal disease		4	1		103	5	883
	Varicella (limited to hospitalized case)			2	1	36	3	233
	Congenital rubella syndrome							
	Syphilis	85	83	62	48	2,652	184	9,312
	Disseminated cryptococcosis			1		13	6	111
	Tetanus					4	2	76
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection		1			5		107
	Pertussis	1	1	2	2	39	6	360
	Rubella					2		11
	Measles						1	6
	MDRA infection					2		11







Number of patients with the diseases to be reported
by the designated clinics and hospitals






Diseases	Tokyo				
	36th	37th	38th	39th	/sentinel
Respiratory syncytial virus infection	516	528	403	327	1.28
Pharyngoconjunctival fever	6	13	3	9	0.04
Group A streptococcal pharyngitis	24	34	44	55	0.21
Infectious gastroenteritis	617	646	449	586	2.29
Chickenpox	13	17	11	13	0.05
Hand, foot, and mouth disease	1,376	1,274	772	757	2.96
Erythema infectiosum	6	10	4	2	0.01
Exanthem subitum	56	67	49	62	0.24
Herpangina	329	318	148	176	0.69
Mumps	6	7	10	14	0.05
Kawasaki disease		3	2	3	0.01
Cold with exanthems	12	8	2	9	0.04
Influenza	7	8	7	5	0.01
Acute hemorrhagic conjunctivitis	1				
Epidemic keratoconjunctivitis	5	6	5	6	0.16
Bacterial meningitis		1			
Aseptic meningitis			1		
Mycoplasma pneumonia	1			1	0.04
Chlamydial pneumonia (excluding psittacosis)		2	2		
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations					





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	256
Influenza	419	407
Ophthalmic	39	38
Specially-designated	25	25