
INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

19 January 2023 / Number 2 (1/9 ~ 1/15)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:tmiph@section.metro.tokyo.jp

URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				Japan		
		51st	52nd	1st	2nd	Cum 2023	2nd	Cum 2023
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	36	30	13	22	35	154	272
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera							
	Shigellosis							1
	Enterohemorrhagic Escherichia coli infection	5	2	4	1	5	18	26
	Typhoid fever						1	2
	Paratyphoid fever	1						
IV	Hepatitis E	4	1	4	6	10	10	17
	West Nile fever							
	Hepatitis A	1					1	1
	Echinococcosis							
	Yellow fever							
	Psittacosis							
	Omsk hemorrhagic fever							
	Relapsing fever							
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox							
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome							1
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							
	Scrub typhus(Tsutsugamushi disease)	2		2		2	6	22
	Dengue fever		1				1	3
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever							1
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
Botulism								
Malaria			1		1		1	
Tularemia								
Lyme disease								
Lyssavirus infection(excluding rabies)								
Rift valley fever								
Melioidosis								
Legionellosis	2	4		3	3	25	57	
Leptospirosis		1						
Rocky mountain spotted fever								







Category	Diseases	Tokyo					Japan	
		51st	52nd	1st	2nd	Cum 2023	2nd	Cum 2023
V	Amebiasis	3	4				2	6
	Viral hepatitis(excluding hepatitis A and E)		1				1	3
	CRE infection	3	5	5	5	10	14	40
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)						2	2
	Acute encephalitis(excluding JE and WNE)			2	1	3	10	18
	Cryptosporidiosis							
	Creutzfeldt-Jakob disease						4	5
	Severe invasive streptococcal infections(TSLS)	1	2	3	4	7	16	31
	Acquired immunodeficiency syndrome (AIDS)	6	7	4	6	10	5	17
	Giardiasis							
	Invasive <i>Haemophilus influenzae</i> disease	2			2	2	6	16
	Invasive meningococcal disease							
	Invasive pneumococcal disease	2	4	2	6	8	32	66
	Varicella (limited to hospitalized case)						2	2
	Congenital rubella syndrome							
	Syphilis	69	77	35	34	69	134	271
	Disseminated cryptococcosis		1				3	4
	Tetanus							
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant <i>Enterococcus</i> infection		2					4
Pertussis	2			1	1	8	14	
Rubella	1							
Measles								
MDRA infection							1	







Number of patients with the diseases to be reported
by the designated clinics and hospitals






Diseases	Tokyo				
	51st	52nd	1st	2nd	/sentinel
Respiratory syncytial virus infection	31	9	12	21	0.08
Pharyngoconjunctival fever	51	25	17	15	0.06
Group A streptococcal pharyngitis	52	40	28	39	0.15
Infectious gastroenteritis	2,777	1,738	1,213	2,162	8.32
Chickenpox	22	24	24	18	0.07
Hand, foot, and mouth disease	38	20	13	9	0.03
Erythema infectiosum	3	1		4	0.02
Exanthem subitum	53	32	39	68	0.26
Herpangina	8	10	3	1	0.00
Mumps	11	5	4	7	0.03
Kawasaki disease	3	2	2	1	0.00
Cold with exanthems	7	3	4	4	0.02
Influenza	940	1,139	1,475	2,174	5.32
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	6	4	2	6	0.16
Bacterial meningitis					
Aseptic meningitis		1	1		
Mycoplasma pneumonia		1		1	0.04
Chlamydial pneumonia (excluding psittacosis)					
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations	9	7	13	13	0.54





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	260
Influenza	419	409
Ophthalmic	39	38
Specially-designated	25	24