
INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

1 February 2024 / Number 4 (1/22 ~ 1/28)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:tmiph@section.metro.tokyo.jp

URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		1st	2nd	3rd	4th	Cum 2024	4th	Cum 2024
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	17	26	38	33	114	212	804
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera							
	Shigellosis						2	4
	Enterohemorrhagic Escherichia coli infection	2	1	3	3	9	36	99
	Typhoid fever							
	Paratyphoid fever				1	1		1
IV	Hepatitis E	2		5	5	12	13	41
	West Nile fever							
	Hepatitis A				1	1	1	5
	Echinococcosis							
	Mpox		1		3	4	3	4
	Yellow fever							
	Psittacosis							
	Omsk hemorrhagic fever							
	Relapsing fever						1	1
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome							2
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							
	Scrub typhus(Tsutsugamushi disease)						6	45
	Dengue fever	1	1	1	2	5	3	12
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever						1	2
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
Botulism								
Malaria			1		1	1	3	
Tularemia								
Lyme disease								
Lyssavirus infection(excluding rabies)								
Rift valley fever								
Melioidosis								
Legionellosis	1	2	5	2	10	19	122	
Leptospirosis								
Rocky mountain spotted fever								







Category	Diseases	Tokyo					Japan	
		1st	2nd	3rd	4th	Cum 2024	4th	Cum 2024
V	Amebiasis	2			4	6	11	28
	Viral hepatitis(excluding hepatitis A and E)		1	1	1	3	1	8
	CRE infection	3	7	3	3	16	36	125
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)						2	2
	Acute encephalitis(excluding JE and WNE)		1		1	2	10	44
	Cryptosporidiosis				1	1		1
	Creutzfeldt-Jakob disease			2		2	3	9
	Severe invasive streptococcal infections(TSLS)	7	9	8	8	32	50	200
	Acquired immunodeficiency syndrome (AIDS)	2	7	8	7	24	14	65
	Giardiasis				1	1	1	1
	Invasive <i>Haemophilus influenzae</i> disease	2		1		3	8	66
	Invasive meningococcal disease							5
	Invasive pneumococcal disease	6	7	6	10	29	44	261
	Varicella (limited to hospitalized case)	1	1	1	1	4	4	22
	Congenital rubella syndrome							
	Syphilis	44	48	72	50	214	146	717
	Disseminated cryptococcosis	3			1	4	2	12
	Tetanus						3	5
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant <i>Enterococcus</i> infection						1	8
	Pertussis	1		2	1	4	8	32
Rubella								
Measles								
MDRA infection								







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	1st	2nd	3rd	4th	/sentinel
Respiratory syncytial virus infection	3	5	6	11	0.04
Pharyngoconjunctival fever	178	243	186	166	0.64
Group A streptococcal pharyngitis	379	745	1,054	1,073	4.11
Infectious gastroenteritis	911	2,056	2,785	2,805	10.75
Chickenpox	31	50	43	42	0.16
Hand, foot, and mouth disease	32	25	16	21	0.08
Erythema infectiosum	7	26	18	21	0.08
Exanthem subitum	25	63	62	55	0.21
Herpangina	2	4	3	1	0.00
Mumps		16	15	10	0.04
Kawasaki disease	5	3	6	2	0.01
Cold with exanthems	4	2		6	0.02
Influenza	3,164	4,192	6,725	7,672	18.53
COVID-19	1,366	2,339	3,448	4,667	11.27
Acute hemorrhagic conjunctivitis		1		1	0.03
Epidemic keratoconjunctivitis	13	24	18	15	0.38
Bacterial meningitis			3	1	0.04
Aseptic meningitis					
Mycoplasma pneumonia	2	1	1	3	0.12
Chlamydial pneumonia (excluding psittacosis)					
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations	70	60	51	50	2.00
COVID-19-Associated Hospitalizations	114	138	157	197	7.88






(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	261
Influenza COVID-19	419	414
Ophthalmic	39	39
Specially-designated	25	25