
INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

26 February 2026 / Number 8
(2/16 ~ 2/22)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:tmiph@section.metro.tokyo.jp

URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		5th	6th	7th	8th	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	41	54	38	36	282
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
III	Avian influenza H7N9					
	Cholera					
	Shigellosis				1	5
	Enterohemorrhagic Escherichia coli infection	3	2	8	4	34
	Typhoid fever	2				2
IV	Paratyphoid fever	1				1
	Hepatitis E	4	8	3	1	28
	West Nile fever					
	Hepatitis A	1		1	1	4
	Echinococcosis					
	Mpox	3	5	3	1	17
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis					
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis					
	Anthrax					
	Chikungunya fever					
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	1	1		1	5
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever					
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria					
	Tularemia					
	Lyme disease					
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
Legionellosis		4	6	2	26	
Leptospirosis					1	
Rocky mountain spotted fever						







Category	Diseases	Tokyo				
		5th	6th	7th	8th	Cum 2026
V	Amebiasis	3	2	4	2	16
	Viral hepatitis(excluding hepatitis A and E)				1	6
	CRE infection		2	5	3	16
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)		1			5
	Acute encephalitis(excluding JE and WNE)	1		2		3
	Cryptosporidiosis					1
	Creutzfeldt-Jakob disease		1		1	3
	Severe invasive streptococcal infections(TSLs)	3	6	2	4	27
	Acquired immunodeficiency syndrome (AIDS)	9	4	9	7	49
	Giardiasis		2			3
	Invasive <i>Haemophilus influenzae</i> disease	1	2	2	2	10
	Invasive meningococcal disease		1			1
	Invasive pneumococcal disease	6	7	7	9	50
	Varicella (limited to hospitalized case)	1	1	1	1	16
	Congenital rubella syndrome					
	Syphilis	59	57	61	47	404
	Disseminated cryptococcosis		1	1	1	6
	Tetanus			1		3
	Vancomycin-resistant <i>S. aureus</i> infection					
	Vancomycin-resistant <i>Enterococcus</i> infection		1			2
	Pertussis	24	18	10	15	184
	Rubella					1
	Measles	2	3		1	7
MDRA infection						







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	5th	6th	7th	8th	/sentinel
Respiratory syncytial virus infection	68	78	66	90	0.34
Pharyngoconjunctival fever	55	50	58	39	0.15
Group A streptococcal pharyngitis	530	519	448	427	1.63
Infectious gastroenteritis	3,922	3,756	3,145	2,880	10.99
Chickenpox	69	77	64	69	0.26
Hand, foot, and mouth disease	5	7	7	4	0.02
Erythema infectiosum	11	14	14	7	0.03
Exanthem subitum	62	41	54	60	0.23
Herpangina	3	3	2	2	0.01
Mumps	4	7	5	12	0.05
Kawasaki disease	3	4	2	3	0.01
Cold with exanthems	13	8	7	9	0.03
Influenza	11,149	16,393	16,051	13,932	33.41
COVID-19	617	853	669	686	1.65
Acute Respiratory Infection	33,334	41,579	37,529	35,809	85.87
Acute hemorrhagic conjunctivitis	1				
Epidemic keratoconjunctivitis	8	6	7	11	0.29
Bacterial meningitis					
Aseptic meningitis	1			1	0.04
<i>Mycoplasma pneumoniae</i>	5	7		3	0.12
Chlamydial pneumonia (excluding psittacosis)	1	3		2	0.08
Infectious gastroenteritis (only by Rotavirus)	1		2	7	0.28
Influenza-Associated Hospitalizations	48	70	64	56	2.24
COVID-19-Associated Hospitalizations	47	55	54	29	1.16







(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	262
Acute Respiratory Infection	419	417
Ophthalmic	39	38
Specially-designated	25	25