
INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

28 May 2026 / Number 21
(5/18 ~ 5/24)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:tmiph@section.metro.tokyo.jp

URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		18th	19th	20th	21st	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	42	19	40	48	829
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
III	Avian influenza H7N9					
	Cholera					
	Shigellosis			3	1	12
	Enterohemorrhagic Escherichia coli infection	4		2	6	72
	Typhoid fever		1		1	5
IV	Paratyphoid fever					1
	Hepatitis E	3	1	6	5	68
	West Nile fever					
	Hepatitis A	1	1	5	5	32
	Echinococcosis					
	Mpox	4	4	3	3	53
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis				1	2
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome	1				1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis					
	Anthrax					
	Chikungunya fever					
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever			1		9
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever					
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria	1				3
	Tularemia					
Lyme disease						
Lyssavirus infection(excluding rabies)						
Rift valley fever						
Melioidosis						
Legionellosis	1	1	3	4	51	
Leptospirosis		1			2	
Rocky mountain spotted fever						







Category	Diseases	Tokyo				
		18th	19th	20th	21st	Cum 2026
V	Amebiasis	1	2		2	41
	Viral hepatitis(excluding hepatitis A and E)	1			2	16
	CRE infection	6		5	5	49
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)					5
	Acute encephalitis(excluding JE and WNE)	1		1		12
	Cryptosporidiosis					1
	Creutzfeldt-Jakob disease		1	1		7
	Severe invasive streptococcal infections(TSLs)	1	1	3	4	56
	Acquired immunodeficiency syndrome (AIDS)	8	3	2	7	109
	Giardiasis					6
	Invasive <i>Haemophilus influenzae</i> disease	4	1	4	2	33
	Invasive meningococcal disease				1	3
	Invasive pneumococcal disease	9	9	10	8	147
	Varicella (limited to hospitalized case)	2	1	1	4	43
	Congenital rubella syndrome					
	MDRP infection	2		1	1	10
	Syphilis	55	30	73	53	1,063
	Disseminated cryptococcosis				1	10
	Tetanus			1		4
	Vancomycin-resistant <i>S. aureus</i> infection					
	Vancomycin-resistant <i>Enterococcus</i> infection			1		5
	Pertussis	20	16	25	14	355
	Rubella					1
Measles	14	9	10	8	253	
MDRA infection						







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	18th	19th	20th	21st	/sentinel
Respiratory syncytial virus infection	53	23	37	55	0.21
Pharyngoconjunctival fever	43	41	82	79	0.30
Group A streptococcal pharyngitis	499	241	433	523	2.00
Infectious gastroenteritis	1,338	878	1,416	1,510	5.76
Chickenpox	95	86	118	86	0.33
Hand, foot, and mouth disease	35	43	109	122	0.47
Erythema infectiosum	8	6	6	11	0.04
Exanthem subitum	87	65	101	107	0.41
Herpangina	7	7	22	34	0.13
Mumps	14	12	9	16	0.06
Kawasaki disease	3	3	7	7	0.03
Cold with exanthems	12	9	18	15	0.06
Influenza	89	30	33	24	0.06
COVID-19	142	78	62	64	0.15
Acute Respiratory Infection	23,582	14,400	19,000	18,677	44.79
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	16	11	10	8	0.21
Bacterial meningitis					
Aseptic meningitis			2	5	0.20
<i>Mycoplasma pneumoniae</i>	3	3	2	1	0.04
Chlamydial pneumonia (excluding psittacosis)	1		2	1	0.04
Infectious gastroenteritis (only by Rotavirus)	4	3	2	3	0.12
Influenza-Associated Hospitalizations	1		1	3	0.12
COVID-19-Associated Hospitalizations	13	5	10	9	0.36







(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	262
Acute Respiratory Infection	419	417
Ophthalmic	39	39
Specially- designated	25	25