
INFECTIOUS DISEASES WEEKLY REPORT

TOKYO iDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

13 August 2026 / Number 32
(8/3 ~ 8/9)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:tmiph@section.metro.tokyo.jp

URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		29th	30th	31st	32nd	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	60	30	56	46	1,316
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
III	Avian influenza H7N9					
	Cholera					
	Shigellosis					14
	Enterohemorrhagic Escherichia coli infection	19	12	19	35	255
	Typhoid fever				2	9
IV	Paratyphoid fever					2
	Hepatitis E	5	2	3	3	114
	West Nile fever					
	Hepatitis A	6	13	10	8	98
	Echinococcosis					
	Mpox	3	9	7	5	95
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis					3
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis					
	Anthrax					
	Chikungunya fever					1
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	1			3	18
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever		1			2
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis			1		1
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria	1	2			9
	Tularemia					
	Lyme disease		1			1
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
	Legionellosis	7	5	4	8	109
	Leptospirosis				1	3
	Rocky mountain spotted fever					







Category	Diseases	Tokyo				
		29th	30th	31st	32nd	Cum 2026
V	Amebiasis		4	2	2	60
	Viral hepatitis(excluding hepatitis A and E)	2	3			29
	CRE infection	2	3	3	2	78
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)					5
	Acute encephalitis(excluding JE and WNE)	1		2	1	27
	Cryptosporidiosis					1
	Creutzfeldt-Jakob disease			1		10
	Severe invasive streptococcal infections(TSLS)	2	2	2		78
	Acquired immunodeficiency syndrome (AIDS)	9	5	3	3	172
	Giardiasis	1			1	10
	Invasive <i>Haemophilus influenzae</i> disease	2	1	1		50
	Invasive meningococcal disease					5
	Invasive pneumococcal disease	8	2	1	5	196
	Varicella (limited to hospitalized case)	5	1	3	2	75
	Congenital rubella syndrome					
	MDRP infection	1	2	1		21
	Syphilis	67	41	38	45	1,682
	Disseminated cryptococcosis				1	12
	Tetanus					5
	Vancomycin-resistant <i>S. aureus</i> infection					
	Vancomycin-resistant <i>Enterococcus</i> infection					7
	Pertussis	15	19	10	10	518
	Rubella					1
	Measles			1	1	266
	MDRA infection					3







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	29th	30th	31st	32nd	/sentinel
Respiratory syncytial virus infection	57	65	112	157	0.63
Pharyngoconjunctival fever	77	56	70	41	0.16
Group A streptococcal pharyngitis	317	196	207	183	0.73
Infectious gastroenteritis	1,165	884	997	959	3.85
Chickenpox	79	65	75	45	0.18
Hand, foot, and mouth disease	3,515	2,138	1,564	923	3.71
Erythema infectiosum	11	15	7	7	0.03
Exanthem subitum	67	47	82	73	0.29
Herpangina	751	447	401	259	1.04
Mumps	16	11	8	13	0.05
Kawasaki disease	1	3	3	11	0.04
Cold with exanthems	24	21	13	26	0.10
Influenza	97	138	302	336	0.84
COVID-19	138	112	172	178	0.45
Acute Respiratory Infection	21,032	16,594	17,935	16,407	41.02
Acute hemorrhagic conjunctivitis			1		
Epidemic keratoconjunctivitis	22	26	15	22	0.61
Bacterial meningitis				1	0.04
Aseptic meningitis	1		2	5	0.20
Mycoplasma pneumonia	7	10	7	11	0.44
Chlamydial pneumonia (excluding psittacosis)		2		1	0.04
Infectious gastroenteritis (only by Rotavirus)	2				
Influenza-Associated Hospitalizations	3	7	11	13	0.52
COVID-19-Associated Hospitalizations	10	6	13	12	0.48







(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	249
Acute Respiratory Infection	419	400
Ophthalmic	39	36
Specially- designated	25	25