
INFECTIOUS DISEASES WEEKLY REPORT

TOKYO iDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

3 September 2026 / Number 35

(8/24 ~ 8/30)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:tmiph@section.metro.tokyo.jp

URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		32nd	33rd	34th	35th	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	53	34	51	47	1,462
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
	Avian influenza H7N9					
III	Cholera					
	Shigellosis			1	1	16
	Enterohemorrhagic Escherichia coli infection	36	31	16	25	328
	Typhoid fever	2				9
	Paratyphoid fever				2	4
IV	Hepatitis E	4	5	2	6	128
	West Nile fever					
	Hepatitis A	8	4	9	10	121
	Echinococcosis					
	Mpox	5	2	2	3	102
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis	1				4
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis				1	1
	Anthrax					
	Chikungunya fever				1	2
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	3	1	1	2	22
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever			1		3
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					1
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria					9
	Tularemia					
	Lyme disease					1
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
	Legionellosis	9		3	11	124
	Leptospirosis	1				3
	Rocky mountain spotted fever					







Category	Diseases	Tokyo				
		32nd	33rd	34th	35th	Cum 2026
V	Amebiasis	2		2	2	64
	Viral hepatitis(excluding hepatitis A and E)		1	1	1	32
	CRE infection	2	1	2	3	84
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)					5
	Acute encephalitis(excluding JE and WNE)	1		2	1	30
	Cryptosporidiosis				1	2
	Creutzfeldt-Jakob disease					10
	Severe invasive streptococcal infections(TSLS)		3	1	2	84
	Acquired immunodeficiency syndrome (AIDS)	3	2	9	3	186
	Giardiasis	1			1	11
	Invasive <i>Haemophilus influenzae</i> disease			1		51
	Invasive meningococcal disease					5
	Invasive pneumococcal disease	5	1	3	4	204
	Varicella (limited to hospitalized case)	2	4	1	1	81
	Congenital rubella syndrome					
	MDRP infection			1		22
	Syphilis	47	48	67	61	1,860
	Disseminated cryptococcosis	1			2	14
	Tetanus					5
	Vancomycin-resistant <i>S. aureus</i> infection					
	Vancomycin-resistant <i>Enterococcus</i> infection					7
	Pertussis	10	7	9	9	543
	Rubella					1
	Measles	1			1	267
	MDRA infection					3







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	32nd	33rd	34th	35th	/sentinel
Respiratory syncytial virus infection	162	160	145	262	1.02
Pharyngoconjunctival fever	41	30	37	38	0.15
Group A streptococcal pharyngitis	185	119	181	197	0.76
Infectious gastroenteritis	990	591	887	973	3.77
Chickenpox	45	34	50	35	0.14
Hand, foot, and mouth disease	984	399	362	315	1.22
Erythema infectiosum	8	4	3	3	0.01
Exanthem subitum	75	53	77	90	0.35
Herpangina	278	139	168	238	0.92
Mumps	13	10	12	11	0.04
Kawasaki disease	11	2	3	3	0.01
Cold with exanthems	26	11	16	9	0.03
Influenza	338	301	576	1,091	2.65
COVID-19	182	161	295	444	1.08
Acute Respiratory Infection	16,845	10,296	13,408	16,449	40.02
Acute hemorrhagic conjunctivitis			1	1	0.03
Epidemic keratoconjunctivitis	22	23	14	19	0.49
Bacterial meningitis	1				
Aseptic meningitis	5	3	1	3	0.12
Mycoplasma pneumonia	11	8	10	10	0.40
Chlamydial pneumonia (excluding psittacosis)	1	2		1	0.04
Infectious gastroenteritis (only by Rotavirus)		2		1	0.04
Influenza-Associated Hospitalizations	13	12	15	31	1.24
COVID-19-Associated Hospitalizations	12	18	24	25	1.00







(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	258
Acute Respiratory Infection	419	411
Ophthalmic	39	39
Specially- designated	25	25