
INFECTIOUS DISEASES WEEKLY REPORT

TOKYO iDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

10 September 2026 / Number 36
(8/31 ~ 9/6)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:tmiph@section.metro.tokyo.jp

URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		33rd	34th	35th	36th	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	34	51	47	51	1,513
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
	Avian influenza H7N9					
III	Cholera					
	Shigellosis		1	1		16
	Enterohemorrhagic Escherichia coli infection	32	17	26	16	347
	Typhoid fever					9
	Paratyphoid fever			2		4
IV	Hepatitis E	5	2	6		128
	West Nile fever					
	Hepatitis A	4	9	11	7	129
	Echinococcosis					
	Mpox	2	2	3	5	107
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis					4
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis			1		1
	Anthrax					
	Chikungunya fever			1		2
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	1	1	2	4	26
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever		1			3
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					1
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria					9
	Tularemia					
	Lyme disease					1
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
	Legionellosis		3	11	2	126
	Leptospirosis					3
	Rocky mountain spotted fever					







Category	Diseases	Tokyo				
		33rd	34th	35th	36th	Cum 2026
V	Amebiasis		2	2	2	66
	Viral hepatitis(excluding hepatitis A and E)	1	1	1		32
	CRE infection	1	2	3	3	88
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)					5
	Acute encephalitis(excluding JE and WNE)		2	1	1	31
	Cryptosporidiosis			1		2
	Creutzfeldt-Jakob disease				1	11
	Severe invasive streptococcal infections(TSLs)	3	1	2	2	86
	Acquired immunodeficiency syndrome (AIDS)	2	9	3	6	192
	Giardiasis			1		11
	Invasive <i>Haemophilus influenzae</i> disease		1		1	52
	Invasive meningococcal disease					5
	Invasive pneumococcal disease	1	3	4	3	207
	Varicella (limited to hospitalized case)	4	1	2	6	88
	Congenital rubella syndrome					
	MDRP infection		1			22
	Syphilis	48	67	61	53	1,913
	Disseminated cryptococcosis			2		14
	Tetanus					5
	Vancomycin-resistant <i>S. aureus</i> infection					
	Vancomycin-resistant <i>Enterococcus</i> infection					7
	Pertussis	7	9	9	4	547
	Rubella					1
	Measles			1	1	268
	MDRA infection					3







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	33rd	34th	35th	36th	/sentinel
Respiratory syncytial virus infection	160	146	262	313	1.20
Pharyngoconjunctival fever	30	37	38	48	0.18
Group A streptococcal pharyngitis	119	183	197	225	0.86
Infectious gastroenteritis	591	898	973	1,130	4.33
Chickenpox	34	50	35	35	0.13
Hand, foot, and mouth disease	399	367	315	287	1.10
Erythema infectiosum	4	3	3	6	0.02
Exanthem subitum	53	77	90	90	0.34
Herpangina	139	168	238	259	0.99
Mumps	10	12	11	7	0.03
Kawasaki disease	2	3	3	2	0.01
Cold with exanthems	11	16	9	13	0.05
Influenza	301	581	1,091	2,273	5.46
COVID-19	161	296	444	764	1.84
Acute Respiratory Infection	10,296	13,408	16,449	20,691	49.74
Acute hemorrhagic conjunctivitis		1	1		
Epidemic keratoconjunctivitis	23	14	19	26	0.67
Bacterial meningitis					
Aseptic meningitis	3	1	3	1	0.04
Mycoplasma pneumonia	8	10	10	10	0.40
Chlamydial pneumonia (excluding psittacosis)	2		1	1	0.04
Infectious gastroenteritis (only by Rotavirus)	2		1		
Influenza-Associated Hospitalizations	12	15	33	28	1.12
COVID-19-Associated Hospitalizations	18	24	25	41	1.64







(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	261
Acute Respiratory Infection	419	416
Ophthalmic	39	39
Specially- designated	25	25