
INFECTIOUS DISEASES WEEKLY REPORT

TOKYO iDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

28 September 2026 / Number 38
(9/14 ~ 9/20)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365

e-mail:tmiph@section.metro.tokyo.jp

URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		35th	36th	37th	38th	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	47	50	44	44	1,600
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
	Avian influenza H7N9					
III	Cholera					
	Shigellosis	1				16
	Enterohemorrhagic Escherichia coli infection	26	16	13	17	377
	Typhoid fever					9
	Paratyphoid fever	2		1		5
IV	Hepatitis E	6		3	2	133
	West Nile fever					
	Hepatitis A	11	7	1	6	136
	Echinococcosis			1		1
	Mpox	3	5	3		110
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis					4
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis	1				1
	Anthrax					
	Chikungunya fever	1				2
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	2	4	5	1	32
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever			1		4
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					1
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria					9
	Tularemia					
	Lyme disease					1
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
	Legionellosis	11	3	2	5	134
	Leptospirosis					3
	Rocky mountain spotted fever					







Category	Diseases	Tokyo				
		35th	36th	37th	38th	Cum 2026
V	Amebiasis	2	2	1	2	69
	Viral hepatitis(excluding hepatitis A and E)	1				32
	CRE infection	3	3	9	2	99
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)					5
	Acute encephalitis(excluding JE and WNE)	1	1	1	1	33
	Cryptosporidiosis	1				2
	Creutzfeldt-Jakob disease		1		1	12
	Severe invasive streptococcal infections(TSLS)	2	2		2	88
	Acquired immunodeficiency syndrome (AIDS)	3	6	5	5	202
	Giardiasis	1		1	2	14
	Invasive <i>Haemophilus influenzae</i> disease		1			52
	Invasive meningococcal disease					5
	Invasive pneumococcal disease	4	3	4	2	213
	Varicella (limited to hospitalized case)	2	6	1	3	92
	Congenital rubella syndrome					
	MDRP infection			1	2	25
	Syphilis	61	57	52	53	2,022
	Disseminated cryptococcosis	2				14
	Tetanus					5
	Vancomycin-resistant <i>S. aureus</i> infection					
	Vancomycin-resistant <i>Enterococcus</i> infection					7
	Pertussis	9	5	7	6	561
	Rubella					1
	Measles	1	1		3	271
	MDRA infection					3







Number of patients with the diseases to be reported
by the designated clinics and hospitals







Diseases	Tokyo				
	35th	36th	37th	38th	/sentinel
Respiratory syncytial virus infection	262	313	393	375	1.44
Pharyngoconjunctival fever	38	48	39	41	0.16
Group A streptococcal pharyngitis	197	225	247	300	1.15
Infectious gastroenteritis	973	1,130	1,042	1,148	4.42
Chickenpox	35	35	29	50	0.19
Hand, foot, and mouth disease	315	287	300	317	1.22
Erythema infectiosum	3	6	7	6	0.02
Exanthem subitum	90	90	72	84	0.32
Herpangina	238	259	348	525	2.02
Mumps	11	7	15	9	0.03
Kawasaki disease	3	2	6	3	0.01
Cold with exanthems	9	13	16	22	0.08
Influenza	1,091	2,273	3,991	6,281	15.21
COVID-19	444	764	1,009	1,207	2.92
Acute Respiratory Infection	16,449	20,691	24,921	30,783	74.72
Acute hemorrhagic conjunctivitis	1		1		
Epidemic keratoconjunctivitis	19	26	20	16	0.42
Bacterial meningitis				2	0.08
Aseptic meningitis	3	1			
Mycoplasma pneumonia	10	10	13	13	0.52
Chlamydial pneumonia (excluding psittacosis)	1	1	2	2	0.08
Infectious gastroenteritis (only by Rotavirus)	1				
Influenza-Associated Hospitalizations	33	28	47	91	3.64
COVID-19-Associated Hospitalizations	25	41	26	29	1.16







(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	260
Acute Respiratory Infection	419	413
Ophthalmic	39	38
Specially- designated	25	25