INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

29 October 2026 / Number 43

(10/19 ~ 10/25)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health

TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:tmiph@section.metro.tokyo.jp
URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		40th	41st	42nd	**43rd**	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	39	43	29	36	1,773
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
	Avian influenza H7N9					
III	Cholera					
	Shigellosis			1	1	18
	Enterohemorrhagic Escherichia coli infection	17	13	13	10	435
	Typhoid fever					9
	Paratyphoid fever			1		6
IV	Hepatitis E	3	3	4	1	145
	West Nile fever					
	Hepatitis A	5	3	3	6	156
	Echinococcosis					1
	Mpox	2	3	1		116
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis					4
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis					1
	Anthrax					
	Chikungunya fever					2
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	2	1	2	2	41
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever		2	1		7
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					1
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria					10
	Tularemia					
	Lyme disease					1
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
	Legionellosis	9	11	8	4	176
	Leptospirosis					3
	Rocky mountain spotted fever					


Category	Diseases	Tokyo				
		40th	41st	42nd	**43rd**	Cum 2026
V	Amebiasis	1	2	2		74
	Viral hepatitis(excluding hepatitis A and E)		1		3	36
	CRE infection	3	4	4	4	115
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)			1		6
	Acute encephalitis(excluding JE and WNE)		2	2	1	38
	Cryptosporidiosis		1			3
	Creutzfeldt-Jakob disease				1	13
	Severe invasive streptococcal infections(TSLS)	2	3	4	4	102
	Acquired immunodeficiency syndrome (AIDS)	1	11	7	5	228
	Giardiasis	3	1			20
	Invasive *Haemophilus influenzae* disease		3		2	58
	Invasive meningococcal disease					5
	Invasive pneumococcal disease	4	10	3	2	234
	Varicella (limited to hospitalized case)	3	1	1	1	98
	Congenital rubella syndrome					
	MDRP infection	2	1	2		31
	Syphilis	37	65	49	52	2,239
	Disseminated cryptococcosis					14
	Tetanus	1				6
	Vancomycin-resistant S. aureus infection					
	Vancomycin-resistant Enterococcus infection	1		3	1	12
	Pertussis	4	9	4	12	596
	Rubella					1
	Measles				1	272
	MDRA infection					3


Number of patients with the diseases to be reported
by the designated clinics and hospitals


Diseases	Tokyo				
	40th	41st	42nd	**43rd**	/sentinel
Respiratory syncytial virus infection	211	322	218	242	0.92
Pharyngoconjunctival fever	32	28	15	33	0.13
Group A streptococcal pharyngitis	171	211	192	230	0.87
Infectious gastroenteritis	966	956	812	899	3.41
Chickenpox	44	38	45	41	0.16
Hand, foot, and mouth disease	219	263	174	157	0.59
Erythema infectiosum	2	13	5	5	0.02
Exanthem subitum	71	71	73	71	0.27
Herpangina	516	583	264	246	0.93
Mumps	13	5	9	14	0.05
Kawasaki disease	2	1	4	4	0.02
Cold with exanthems	14	13	19	20	0.08
Influenza	6,619	6,638	3,839	3,499	8.35
COVID-19	733	674	416	335	0.80
Acute Respiratory Infection	27,433	31,114	23,465	24,905	59.44
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	23	20	5	19	0.49
Bacterial meningitis	1				
Aseptic meningitis	2	4	3	2	0.08
Mycoplasma pneumonia	16	23	23	38	1.52
Chlamydial pneumonia (excluding psittacosis)	1	1			
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations	93	123	70	60	2.40
COVID-19-Associated Hospitalizations	17	27	16	16	0.64


(Blank means 0.)


Disease Trend Graph (weekly reported cases per sentinel in comparison)





















(Cases/sentinel)
Erythema infectiosum
4.00
3.00
2.00
1.00
0.00
1
6
11
16
21
26
31
36
41
46
51
(Week)



Exanthem subitum
2.00
1.50
1.00
0.50
0.00
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
1
6
11
16
21
26
31
36
41
46
51



Herpangina
12.0
10.0
8.0
6.0
4.0
2.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Mumps
2.00
1.50
1.00
0.50
0.00
1
6
11
16
21
26
31
36
41
46
51



Kawasaki disease
0.10
0.08
0.06
0.04
0.02
0.00
1
6
11
16
21
26
31
36
41
46
51



Cold with exanthems
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



(Cases/sentinel)
Influenza
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
1
6
11
16
21
26
31
36
41
46
51
(Week)



COVID-19
24.0
20.0
16.0
12.0
8.0
4.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Acute Respiratory Infection
120.0
100.0
80.0
60.0
40.0
20.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Acute haemorrhagic conjunctivitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



Epidemic keratoconjuncitivitis
2.00
1.50
1.00
0.50
0.00
1
6
11
16
21
26
31
36
41
46
51



Bacterial meningitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



(Cases/sentinel)
Aseptic meningitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51
(Week)


Mycoplasma pneumonia
6.00
5.00
4.00
3.00
2.00
1.00
0.00
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
1
6
11
16
21
26
31
36
41
46
51


Chlamydia Pneumonia
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51


Infectious gastroenteritis (only by Rotavirus)
1.50
1.20
0.90
0.60
0.30
0.00
1
6
11
16
21
26
31
36
41
46
51


Influenza-Associated Hospitalizations
14.00
12.00
10.00
8.00
6.00
4.00
2.00
0.00
1
6
11
16
21
26
31
36
41
46
51


COVID-19-Associated Hospitalizations
10.00
8.00
6.00
4.00
2.00
0.00
1
6
11
16
21
26
31
36
41
46
51

Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	264
Acute Respiratory Infection	419	419
Ophthalmic	39	39
Specially-designated	25	25