INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

5 November 2026 / Number 44
(10/26 ~ 11/1)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health
TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:tmiph@section.metro.tokyo.jp
URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		41st	42nd	43rd	**44th**	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	57	37	42	39	1,874
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
	Avian influenza H7N9					
III	Cholera					
	Shigellosis		1	1		18
	Enterohemorrhagic Escherichia coli infection	13	12	10	3	437
	Typhoid fever					9
	Paratyphoid fever		1			6
IV	Hepatitis E	3	4	1	6	151
	West Nile fever					
	Hepatitis A	3	3	6	1	157
	Echinococcosis					1
	Mpox	3	1		1	117
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis					4
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis					1
	Anthrax					
	Chikungunya fever					2
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	1	2	2	1	42
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever	2	1			7
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					1
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria					10
	Tularemia					
	Lyme disease					1
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
	Legionellosis	11	8	4	3	179
	Leptospirosis					3
	Rocky mountain spotted fever					


Category	Diseases	Tokyo				
		41st	42nd	43rd	**44th**	Cum 2026
V	Amebiasis	2	2	1	1	76
	Viral hepatitis(excluding hepatitis A and E)	1		3	1	37
	CRE infection	4	4	3	3	117
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)		1			6
	Acute encephalitis(excluding JE and WNE)	2	2	1	4	42
	Cryptosporidiosis	1			1	4
	Creutzfeldt-Jakob disease			1		13
	Severe invasive streptococcal infections(TSLS)	3	4	4		102
	Acquired immunodeficiency syndrome (AIDS)	11	7	5	7	235
	Giardiasis	1				20
	Invasive *Haemophilus influenzae* disease	3		2		58
	Invasive meningococcal disease				1	6
	Invasive pneumococcal disease	10	3	2	2	236
	Varicella (limited to hospitalized case)	1	1	1	1	99
	Congenital rubella syndrome					
	MDRP infection	1	2			31
	Syphilis	65	49	53	40	2,280
	Disseminated cryptococcosis				1	15
	Tetanus					6
	Vancomycin-resistant S. aureus infection					
	Vancomycin-resistant Enterococcus infection		3	1		12
	Pertussis	9	4	12	11	607
	Rubella					1
	Measles			1	1	273
	MDRA infection					3


Number of patients with the diseases to be reported
by the designated clinics and hospitals


Diseases	Tokyo				
	41st	42nd	43rd	**44th**	/sentinel
Respiratory syncytial virus infection	322	218	242	244	0.93
Pharyngoconjunctival fever	28	15	33	33	0.13
Group A streptococcal pharyngitis	211	192	230	224	0.85
Infectious gastroenteritis	956	812	899	969	3.68
Chickenpox	38	45	41	51	0.19
Hand, foot, and mouth disease	263	174	157	137	0.52
Erythema infectiosum	13	5	5	4	0.02
Exanthem subitum	71	73	71	63	0.24
Herpangina	583	264	246	154	0.59
Mumps	5	9	14	1	0.00
Kawasaki disease	1	4	4	3	0.01
Cold with exanthems	13	19	20	23	0.09
Influenza	6,638	3,839	3,499	2,888	6.91
COVID-19	674	416	335	310	0.74
Acute Respiratory Infection	31,114	23,465	24,905	23,071	55.19
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	20	5	19	13	0.34
Bacterial meningitis				1	0.04
Aseptic meningitis	4	3	2	3	0.12
Mycoplasma pneumonia	23	23	38	11	0.44
Chlamydial pneumonia (excluding psittacosis)	1			1	0.04
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations	123	70	60	54	2.16
COVID-19-Associated Hospitalizations	27	16	18	17	0.68


(Blank means 0.)


Disease Trend Graph (weekly reported cases per sentinel in comparison)





















(Cases/sentinel)
Erythema infectiosum
4.00
3.00
2.00
1.00
0.00
1
6
11
16
21
26
31
36
41
46
51
(Week)



Exanthem subitum
2.00
1.50
1.00
0.50
0.00
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
1
6
11
16
21
26
31
36
41
46
51



Herpangina
12.0
10.0
8.0
6.0
4.0
2.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Mumps
2.00
1.50
1.00
0.50
0.00
1
6
11
16
21
26
31
36
41
46
51



Kawasaki disease
0.10
0.08
0.06
0.04
0.02
0.00
1
6
11
16
21
26
31
36
41
46
51



Cold with exanthems
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



Influenza
(Cases/sentinel)
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
1
6
11
16
21
26
31
36
41
46
51
(Week)



COVID-19
24.0
20.0
16.0
12.0
8.0
4.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Acute Respiratory Infection
120.0
100.0
80.0
60.0
40.0
20.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Acute haemorrhagic conjunctivitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



Epidemic keratoconjuncitivitis
2.00
1.50
1.00
0.50
0.00
1
6
11
16
21
26
31
36
41
46
51



Bacterial meningitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



(Cases/sentinel)
Aseptic meningitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51
(Week)


Mycoplasma pneumonia
6.00
5.00
4.00
3.00
2.00
1.00
0.00
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
1
6
11
16
21
26
31
36
41
46
51


Chlamydia Pneumonia
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51


Infectious gastroenteritis (only by Rotavirus)
1.50
1.20
0.90
0.60
0.30
0.00
1
6
11
16
21
26
31
36
41
46
51


Influenza-Associated Hospitalizations
14.00
12.00
10.00
8.00
6.00
4.00
2.00
0.00
1
6
11
16
21
26
31
36
41
46
51


COVID-19-Associated Hospitalizations
10.00
8.00
6.00
4.00
2.00
0.00
1
6
11
16
21
26
31
36
41
46
51

Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	263
Acute Respiratory Infection	419	418
Ophthalmic	39	38
Specially-designated	25	25