INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

12 November 2026 / Number 45
(11/2 ~ 11/8)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health
TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:tmiph@section.metro.tokyo.jp
URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		42nd	43rd	44th	**45th**	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	38	44	44	28	1,919
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
	Avian influenza H7N9					
III	Cholera					
	Shigellosis	1	1			18
	Enterohemorrhagic Escherichia coli infection	12	10	4	5	443
	Typhoid fever					9
	Paratyphoid fever	1				6
IV	Hepatitis E	4	1	6		151
	West Nile fever					
	Hepatitis A	3	6	1	6	163
	Echinococcosis					1
	Mpox	1		1		117
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis					4
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis					1
	Anthrax					
	Chikungunya fever					2
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	2	2	1	1	43
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever	1				7
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					1
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria				1	11
	Tularemia					
	Lyme disease					1
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
	Legionellosis	8	4	3	8	187
	Leptospirosis					3
	Rocky mountain spotted fever					


Category	Diseases	Tokyo				
		42nd	43rd	44th	**45th**	Cum 2026
V	Amebiasis	2	1	1	5	81
	Viral hepatitis(excluding hepatitis A and E)		3	1		37
	CRE infection	4	3	3	1	118
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)	1				6
	Acute encephalitis(excluding JE and WNE)	2	1	4		42
	Cryptosporidiosis			1		4
	Creutzfeldt-Jakob disease		1			13
	Severe invasive streptococcal infections(TSLS)	4	5		1	104
	Acquired immunodeficiency syndrome (AIDS)	7	5	7	5	240
	Giardiasis					20
	Invasive *Haemophilus influenzae* disease		2		1	59
	Invasive meningococcal disease			1		6
	Invasive pneumococcal disease	3	2	2	7	243
	Varicella (limited to hospitalized case)	1	1	1	1	100
	Congenital rubella syndrome					
	MDRP infection	2				31
	Syphilis	49	53	40	42	2,322
	Disseminated cryptococcosis			1		15
	Tetanus					6
	Vancomycin-resistant S. aureus infection					
	Vancomycin-resistant Enterococcus infection	3	1			12
	Pertussis	4	12	11	7	614
	Rubella					1
	Measles		1	1		273
	MDRA infection					3


Number of patients with the diseases to be reported
by the designated clinics and hospitals


Diseases	Tokyo				
	42nd	43rd	44th	**45th**	/sentinel
Respiratory syncytial virus infection	218	242	244	176	0.67
Pharyngoconjunctival fever	15	33	33	17	0.06
Group A streptococcal pharyngitis	192	230	224	204	0.77
Infectious gastroenteritis	812	899	973	893	3.38
Chickenpox	45	41	51	45	0.17
Hand, foot, and mouth disease	174	157	137	105	0.40
Erythema infectiosum	5	5	4	11	0.04
Exanthem subitum	73	71	63	47	0.18
Herpangina	264	246	154	84	0.32
Mumps	9	14	1	7	0.03
Kawasaki disease	4	4	3	2	0.01
Cold with exanthems	19	20	23	13	0.05
Influenza	3,839	3,499	2,888	3,117	7.44
COVID-19	416	335	310	304	0.73
Acute Respiratory Infection	23,465	24,905	23,073	24,448	58.35
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	5	19	13	16	0.41
Bacterial meningitis			1		
Aseptic meningitis	3	2	3		
Mycoplasma pneumonia	23	38	11	17	0.68
Chlamydial pneumonia (excluding psittacosis)			1		
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations	70	60	54	76	3.04
COVID-19-Associated Hospitalizations	16	18	18	24	0.96


(Blank means 0.)


Disease Trend Graph (weekly reported cases per sentinel in comparison)





















(Cases/sentinel)
Erythema infectiosum
4.00
3.00
2.00
1.00
0.00
1
6
11
16
21
26
31
36
41
46
51
(Week)



Exanthem subitum
2.00
1.50
1.00
0.50
0.00
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
1
6
11
16
21
26
31
36
41
46
51



Herpangina
12.0
10.0
8.0
6.0
4.0
2.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Mumps
2.00
1.50
1.00
0.50
0.00
1
6
11
16
21
26
31
36
41
46
51



Kawasaki disease
0.10
0.08
0.06
0.04
0.02
0.00
1
6
11
16
21
26
31
36
41
46
51



Cold with exanthems
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



(Cases/sentinel)
Influenza
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
1
6
11
16
21
26
31
36
41
46
51
(Week)



COVID-19
24.0
20.0
16.0
12.0
8.0
4.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Acute Respiratory Infection
120.0
100.0
80.0
60.0
40.0
20.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Acute haemorrhagic conjunctivitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



Epidemic keratoconjunctivitis
2.00
1.50
1.00
0.50
0.00
1
6
11
16
21
26
31
36
41
46
51



Bacterial meningitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



(Cases/sentinel)
Aseptic meningitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51
(Week)


Mycoplasma pneumonia
6.00
5.00
4.00
3.00
2.00
1.00
0.00
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
1
6
11
16
21
26
31
36
41
46
51


Chlamydia Pneumonia
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51


Infectious gastroenteritis (only by Rotavirus)
1.50
1.20
0.90
0.60
0.30
0.00
1
6
11
16
21
26
31
36
41
46
51


Influenza-Associated Hospitalizations
14.00
12.00
10.00
8.00
6.00
4.00
2.00
0.00
1
6
11
16
21
26
31
36
41
46
51


COVID-19-Associated Hospitalizations
10.00
8.00
6.00
4.00
2.00
0.00
1
6
11
16
21
26
31
36
41
46
51

Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	264
Acute Respiratory Infection	419	419
Ophthalmic	39	39
Specially-designated	25	25