INFECTIOUS DISEASES WEEKLY REPORT

TOKYO IDWR

Tokyo Metropolitan Infectious Disease Surveillance Center

26 November 2026 / Number 47
(11/16 ~ 11/22)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report

All physicians must report to health centers the incidence of the diseases which are shown at page one. Health centers electronically report the individual cases to Tokyo Metropolitan Infectious Disease Surveillance Center.

The infectious diseases required to be reported by the sentinels

The numbers of patients who visit the sentinel clinics or hospitals during a week are reported to health centers in Tokyo. And they electronically report the numbers to Tokyo Metropolitan Infectious Disease Surveillance Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Tokyo Metropolitan Institute of Public Health
TEL:81-3-3363-3213 FAX:81-3-5332-7365
e-mail:tmiph@section.metro.tokyo.jp
URL:idsc.tmiph.metro.tokyo.lg.jp/

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo				
		44th	45th	46th	**47th**	Cum 2026
I	Ebola hemorrhagic fever					
	Crimean-Congo hemorrhagic fever					
	Smallpox					
	South American hemorrhagic fever					
	Plague					
	Marburg disease					
	Lassa fever					
II	Acute poliomyelitis					
	Tuberculosis	44	28	39	45	2,003
	Diphtheria					
	Severe Acute Respiratory Syndrome(SARS)					
	Middle East Respiratory Syndrome (MERS)					
	Avian influenza H5N1					
	Avian influenza H7N9					
III	Cholera					
	Shigellosis			1	3	22
	Enterohemorrhagic Escherichia coli infection	4	6	12	11	467
	Typhoid fever					9
	Paratyphoid fever					6
IV	Hepatitis E	6		5	1	157
	West Nile fever					
	Hepatitis A	1	6	6	5	174
	Echinococcosis					1
	Mpox	1		2		119
	Yellow fever					
	Psittacosis					
	Omsk hemorrhagic fever					
	Relapsing fever					
	Kyasanur forest disease					
	Q fever					
	Rabies					
	Coccidioidomycosis					4
	Zika virus infection					
	Severe Fever with Thrombocytopenia Syndrome					1
	Hemorrhagic fever with renal syndrome					
	Western equine encephalitis					
	Tick-borne encephalitis					1
	Anthrax					
	Chikungunya fever					2
	Scrub typhus(Tsutsugamushi disease)					
	Dengue fever	1	1	1	3	47
	Eastern equine encephalitis					
	Avian influenza (excluding H5N1 and H7N9)					
	Nipah virus infection					
	Japanese spotted fever					7
	Japanese encephalitis					
	Hantavirus pulmonary syndrome					
	Herpes B virus infection					
	Glanders					
	Brucellosis					1
	Venezuelan equine encephalitis					
	Hendra virus infection					
	Epidemic typhus					
	Botulism					
	Malaria		1	1		12
	Tularemia					
	Lyme disease					1
	Lyssavirus infection(excluding rabies)					
	Rift valley fever					
	Melioidosis					
	Legionellosis	3	8	6	7	200
	Leptospirosis					3
	Rocky mountain spotted fever					


Category	Diseases	Tokyo				
		44th	45th	46th	**47th**	Cum 2026
V	Amebiasis	1	5	4	2	87
	Viral hepatitis(excluding hepatitis A and E)	1				37
	CRE infection	3	1	6	2	126
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)					6
	Acute encephalitis(excluding JE and WNE)	4		1		43
	Cryptosporidiosis	1				4
	Creutzfeldt-Jakob disease				1	14
	Severe invasive streptococcal infections(TSLS)		1	3		107
	Acquired immunodeficiency syndrome (AIDS)	7	6	4	5	250
	Giardiasis					20
	Invasive *Haemophilus influenzae* disease		1		1	60
	Invasive meningococcal disease	1				6
	Invasive pneumococcal disease	2	7	9	5	257
	Varicella (limited to hospitalized case)	1	1	2	5	107
	Congenital rubella syndrome					
	MDRP infection			2	1	34
	Syphilis	40	42	47	41	2,410
	Disseminated cryptococcosis	1				15
	Tetanus					6
	Vancomycin-resistant S. aureus infection					
	Vancomycin-resistant Enterococcus infection			2		14
	Pertussis	11	7	7	8	629
	Rubella					1
	Measles	1				273
	MDRA infection					3


Number of patients with the diseases to be reported by the designated clinics and hospitals


Diseases	Tokyo				
	44th	45th	46th	**47th**	/sentinel
Respiratory syncytial virus infection	244	176	145	171	0.65
Pharyngoconjunctival fever	33	17	32	28	0.11
Group A streptococcal pharyngitis	224	204	295	330	1.25
Infectious gastroenteritis	973	893	1,122	1,327	5.05
Chickenpox	51	45	72	71	0.27
Hand, foot, and mouth disease	137	105	82	67	0.25
Erythema infectiosum	4	11	4	13	0.05
Exanthem subitum	63	47	53	66	0.25
Herpangina	154	84	76	54	0.21
Mumps	1	7	9	9	0.03
Kawasaki disease	3	2	2	3	0.01
Cold with exanthems	23	13	15	4	0.02
Influenza	2,888	3,117	3,234	3,862	9.24
COVID-19	310	304	307	263	0.63
Acute Respiratory Infection	23,073	24,448	27,753	29,171	69.79
Acute hemorrhagic conjunctivitis				1	0.03
Epidemic keratoconjunctivitis	13	16	14	15	0.38
Bacterial meningitis	1			1	0.04
Aseptic meningitis	3			1	0.04
Mycoplasma pneumonia	11	17	23	25	1.00
Chlamydial pneumonia (excluding psittacosis)	1				
Infectious gastroenteritis (only by Rotavirus)				1	0.04
Influenza-Associated Hospitalizations	54	76	69	92	3.68
COVID-19-Associated Hospitalizations	18	24	21	25	1.00


(Blank means 0.)


Disease Trend Graph (weekly reported cases per sentinel in comparison)





















(Cases/sentinel)
Erythema infectiosum
4.00
3.00
2.00
1.00
0.00
1
6
11
16
21
26
31
36
41
46
51
(Week)



Exanthem subitum
2.00
1.50
1.00
0.50
0.00
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
1
6
11
16
21
26
31
36
41
46
51



Herpangina
12.0
10.0
8.0
6.0
4.0
2.0
0.0
1
6
11
16
21
26
31
36
41
46
51



Mumps
2.00
1.50
1.00
0.50
0.00
1
6
11
16
21
26
31
36
41
46
51



Kawasaki disease
0.10
0.08
0.06
0.04
0.02
0.00
1
6
11
16
21
26
31
36
41
46
51



Cold with exanthems
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51



(Cases/sentinel)
Influenza
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
80.0
70.0
60.0
50.0
40.0
30.0
20.0
10.0
0.0
1 6 11 16 21 26 31 36 41 46 51
(Week)



COVID-19
24.0
20.0
16.0
12.0
8.0
4.0
0.0
1 6 11 16 21 26 31 36 41 46 51



Acute Respiratory Infection
120.0
100.0
80.0
60.0
40.0
20.0
0.0
1 6 11 16 21 26 31 36 41 46 51



Acute haemorrhagic conjunctivitis
0.50
0.40
0.30
0.20
0.10
0.00
1 6 11 16 21 26 31 36 41 46 51



Epidemic keratoconjuncitivitis
2.00
1.50
1.00
0.50
0.00
1 6 11 16 21 26 31 36 41 46 51



Bacterial meningitis
0.50
0.40
0.30
0.20
0.10
0.00
1 6 11 16 21 26 31 36 41 46 51



(Cases/sentinel)
Aseptic meningitis
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51
(Week)


Mycoplasma pneumonia
6.00
5.00
4.00
3.00
2.00
1.00
0.00
Current year(Tokyo)
Previous year(Tokyo)
Ave.(past 5 years, Tokyo)
Current year(Japan)
1
6
11
16
21
26
31
36
41
46
51


Chlamydia Pneumonia
0.50
0.40
0.30
0.20
0.10
0.00
1
6
11
16
21
26
31
36
41
46
51


Infectious gastroenteritis (only by Rotavirus)
1.50
1.20
0.90
0.60
0.30
0.00
1
6
11
16
21
26
31
36
41
46
51


Influenza-Associated Hospitalizations
14.00
12.00
10.00
8.00
6.00
4.00
2.00
0.00
1
6
11
16
21
26
31
36
41
46
51


COVID-19-Associated Hospitalizations
10.00
8.00
6.00
4.00
2.00
0.00
1
6
11
16
21
26
31
36
41
46
51

Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	263
Acute Respiratory Infection	419	418
Ophthalmic	39	39
Specially-designated	25	25